CHEMINAX

DESIGNATED

.050

.136

.153

.187 -

50 OHM, AWG 18, 19 STRANDS OF AWG 30, COAXIAL CABLE

Date:

4-18-96

Revision:

Α

THIS SPECIFICATION SHEET FORMS A PART OF THE LATEST ISSUE OF RAYCHEM SPECIFICATION 1200.

## CONSTRUCTION DETAILS

CONDUCTOR

Copper

DIELECTRIC

SHIELD

**JACKET** 

Thermorad® S

**AWG 38** 

Tin-Coated Copper

Rayfoam® L Color - Natural

AWG 18, 19 Strands of AWG 30, Tin-Coated

DIMENSIONS ARE NOMINAL VALUES IN INCHES UNLESS OTHERWISE

# ELECTRICAL CHARACTERISTICS

CHARACTERISTIC IMPEDANCE

50 ± 2 ohms, Method A

CAPACITANCE

26.4 pF/ft. (nominal)

VELOCITY OF PROPAGATION

77% (nominal)

ADDITIONAL REQUIREMENTS

### ELECTRICAL

CONDUCTOR RESISTANCE INSULATION RESISTANCE

6.07 ohms/1000 ft. (nominal) 10,000 megohms (minimum)

for 1000 ft.

JACKET FLAWS SPARK TEST IMPULSE TEST

1.0 kV (rms), 60 Hz 6.0 kV (peak)

VOLTAGE WITHSTAND

1000 volts (rms) (minimum)

135°C/-55°C/5.00 inch mandrel

(DIELECTRIC)

#### **ENVIRONMENTAL**

AGING ATABILITY
FLAMMABILITY

Method C

HEAT SHOCK LOW TEMPERATURE-COLD BEND 225°C

VOLTAGE WITHSTAND

-55°C/5.00 inch mandrel

(POST ENVIRONMENTAL)

1000 volts (rms), 1 minute

#### PHYSICAL

INSULATION (DIELECTRIC)

ELONGATION TENSILE STRENGTH

50% (minimum)
1000 lbf/in² (minimum

JACKET

ELONGATION TENSILE STRENGTH JACKET THICKNESS SHIELD COVERAGE 1000 lbf/in² (minimum)

250% (minimum) 2000 lbf/in² (minimum) .017 inch (nominal) 90% (minimum)

Outer jacket color will be black (designated by a "-0" appended to the part number, e.g., 5018A1311-0) unless otherwise specified.

Designate outer jacket color with a dash number in accordance with MIL-STD-681.

WEIGHT

21.7 lbs/1000 ft. (nominal)