

HV DRY FLEXIBLE TERMINATIONS (OHVT-145F)

UPTO 145 kV

KEY FEATURES

- Dry interface, solid insulating medium, no leakage risk
- Prefabricated and 100% factory tested
- · No glueing needed
- No scaffolding cost, installation on ground
- Both vertical and horizontal installation possible
- Fittings made of corrosionresistant alloy
- Type tested according to IEC 60840
- Cost-effective solution
- Easy to install and maintenance free

TE Connectivity's (TE) Raychem High Voltage Dry Flexible Outdoor Termination (OHVT-F) is designed for voltages up to 145 kV and to operate under severe environmental conditions. The OHVT-F is designed such that it is compatible with polymeric insulated cables independent of the manufacturer and can be adapted with respect to grounding required for various cable constructions. The installation of the termination can be done by trained installers.

The cold applied termination is a single piece push on solution which requires no glueing. The push on silicone body is formulated for excellent tracking resistance and pollution resistance due to its hydrophobic body. It is free from any insulating fluids, gases or gel and therefore, there is no risk of leakage. The termination is designed according to IEC 60840.

The cable lug is available in shearbolt version. It is suitable for all common conductors made of aluminum or copper.

Customers can count on consistent, high quality products, driven by TE's proven innovation and backed by our extraordinary customer support.










MECHANICAL DATA	
Length	1985 mm
Outer diameter	366 mm
Max. Inclination angle	90°
Max. Permissible radial pull at connection bolt	2000 N
Diameter of connection bolt	30/40/50 mm
Length of connection bolt	100/130 mm
Weight approx.	45 kg
Packing information	2050 × 750 × 500

DESIGN DATA	
Diameter over insulation	≤ 78 mm
Diameter over sheath	≤ 130 mm
Max. Cross section (Cu / Al)	Approx. 1200 mm ²
Creepage distance	4590 mm
Flashover distance	1430 mm
Material of connection bolt	Aluminium / Copper
Material of step relief cone	Silicone rubber
Profile of insulator	Sheds
Colour of insulator	Grey
Method of stress control	Geometric
Stress cone	Pre-fabricated silicone rubber
Max. Permissible dielectric stress	4 kV/mm (at insulation screen of cable)
Clearance between terminations	As per IEC 60071-1
Installation temperature	0°C - +40°C
Operation temperature	-55°C - +55°C
Storage temperature	0°C - +40°C

ELECTRICAL TYPE TEST IEC 60840		
Heating cycle voltage	152 kV	
Partial discharge at ambient and elevated temperatures	114 kV	
Lightning impulse voltage 1.2µs/50µs	650 kV	
ELECTRICAL ROUTINE TEST IEC 60840		
AC withstand voltage	190 kV	
Partial discharge test	114 kV	



te.com/energy

© 2019 TE Connectivity. All Rights Reserved. EPP-3439-DDS-12/19-OHVT-145F-TE

Raychem, TE Connectivity and TE connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners. While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

FOR MORE INFORMATION: TE Technical Support Centers

USA: + 1 800 327 6996 +1 (905) 475-6222 Canada: + 52 (0) 55-1106-0800 Mexico: Latin/S. America: + 54 (0) 11-4733-2200 France: + 33 380 583 200 + 44 0870 870 7500 + 49 896 089 903 UK: Germany: + 34 916 630 400 Spain: + 39 333 250 0915 Italy: Benelux: + 32 16 508 695 Russia: + 7 495-790 790 2-200 China: + 86 (0) 400-820-6015



