

The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

2 Piece (Cover & Frame) Board Level Shield

1. SCOPE

1.1. Content

This specification covers performance and test requirements for a 2 piece Board Level Shield. The shield is designed to reflect radiation from underlying components, as well as to protect underlying components from external radiation. The frame is designed to be soldered to a PC board. The cover is designed to be mated onto the frame after soldering.

1.2. Qualification

When tests are performed on the subject product line, procedures specified in this specification shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

1.3. Qualification Test Results

Successful qualification testing on the subject product line has not been completed. The Qualification Test Report number will be issued upon successful qualification testing.

2. APPLICABLE DOCUMENTS AND FORMS

The following documents and forms constitute a part of this specification to the extent specified herein. Unless otherwise indicated, the latest edition of the document applies.

- 2.1. TE Documents
 - 501-115119: Qualification Test Report
- 2.2. Industry Documents
 - IEC 60512 Basic testing procedures and measuring methods for electromechanical components for electrical equipment.
 - IEC 60068 Basic environmental testing procedures.

3. REQUIREMENTS

3.1. Design and Construction

Product shall be of the design, construction, materials and physical dimensions specified on the applicable product drawing.

3.2. Ratings

Operating temperature:	-30°C to 85°C
Storage temperature:	-40°C to 85°C



3.3. Test Requirements and Procedures Summary

Unless otherwise specified, all tests shall be performed at ambient environmental conditions.

TEST DESCRIPTION	REQUIREMENT	PROCEDURE
Visual examination of product	Meets requirements of product drawing.	Visual, dimensional and functional per applicable inspection plan. In accordance with IEC 60512-1-1
	ELECTRICAL	
Contact resistance	Max. open voltage 20mV. Max. current 100mA DC. Requirement: 100mΩ max	In accordance with IEC 60512-2-1 See paragraph 3.5.1. Measure on 5 points.
	MECHANICAL	
Mechanical operation	Gently remove the cover by pulling it up corner by corner with a small tool until it is released. Requirement: No physical damage. 5 cycles. Contact resistance	In accordance with IEC 60512-9-1
Vibration	 10-55Hz sinusoidal sweeping, 1 octave/minute. Amplitude 1.5mm max., acceleration 15g max. 2 hours in each of 3 mutual perpendicular axes (total 6 hours). Requirement: No physical damage. Cover retains original position on frame. Contact resistance 	In accordance with IEC 60512-6-4
Free fall test	Release PCB of 1.5m height onto a level concrete surface. Requirement: 6 drops. No physical damage. Cover retains original position on frame. Contact resistance	In accordance with IEC 60068-2-32 Procedure 1
	ENVIRONMENTAL	
Solderability	Requirement: 5% max. dewetting on vertical wall sides up to minimal 0.40mm of the PCB top surface.	In accordance with JEDEC JESD22-B102E, Method 2 Test type: Pb-free solderability test.
Damp Heat, steady state	85°C, 85%RH, 240 hours. Requirement: No physical damage Contact resistance	In accordance with IEC 60068-2-78



Salt mist 2 hours	Temperature 35±2 °C,	In accordance with
	RH 90-95%,	IEC 60512-11-6
	Salt mist: $5 \pm 1\%$ salt solution.	
	Duration: 2 hrs.	
	After test: Wash parts and return to room	
	ambient for 1 hour.	
	Requirements:	
	No physical damage	
	Contact resistance	
Salt mist 24 hours	Temperature 35±2°C,	In accordance with
	RH 90-95%,	IEC 60512-11-6
	Salt mist: 5 ±1% salt solution.	
	Duration: 24 hrs.	
	After test: Wash parts and return to room	
	ambient for 1 hour.	
	Requirements:	
	No physical damage	
	Contact resistance	



NOTE

Shall meet visual requirements, show no physical damage, and meet requirements of additional tests as specified in the Product Qualification Test Sequence shown in Paragraph 3.4.



3.4. Product Qualification and Requalification Test Sequence

TEST OR EXAMINATION	TEST GROUP (a)					
	1	2	3	4	5	
		TEST SEQUENCE (b)				
Visual examination of products	1, 8	1, 8	1, 6	1, 6	1, 6	
Solderability	2	2	2	2	2	
Contact resistance	3, 5, 7	3, 5, 7	3, 5	3, 5	3, 5	
Mechanical operation		4				
Vibration	4					
Free Fall test	6	6				
Salt mist 2 hours			4			
Salt mist 24 hours				4		
Damp Heat					4	



NOTE

(a) See paragraph 4.1.A.

(b) Numbers indicate sequence in which tests are performed.

	NUMBER OF SAMPLES IN TEST GROUP:				
SAMPLE DESCRIPTION	1	2	3	4	5
Frame soldered on PCBCover mated on Frame	5	5	5	5	5



3.5. Additional Test and Measuring Details

3.5.1 Contact resistance

Contact resistance shall be measured as indicated in figure 1. Measure from all 5 cover positions to the PCB track.



Figure 1. Contact resistance measurement set-up. 5 point measurement.



4. QUALITY ASSURANCE PROVISIONS

4.1. Qualification testing

A. Sample selection

Samples shall be prepared in accordance with applicable instructions and shall be selected at random from current production. Unless otherwise specified, all test-groups shall consist of a minimum of 5 connectors of which all contacts shall be tested.

B. Test sequence

Qualification inspection shall be verified by testing samples as specified in paragraph 3.4.

4.2. Acceptance

Acceptance is based upon verification that product meets requirements of paragraph 3.3. Failures attributed to equipment, test set-up, applied customer components or operator deficiencies shall not disqualify the product. When product failure occurs, corrective action shall be taken and samples resubmitted for requalification. Testing to confirm corrective action is required before resubmittal.

4.3. Quality conformance inspection

Applicable TE quality inspection plan will specify sampling acceptable quality level to be used. Dimensional and functional requirements shall be in accordance with applicable product drawing and this specification.