

The product described in this document has not been fully tested to ensure conformance to the requirements outlined below. Therefore, TE Connectivity (TE) makes no representation or warranty, express or implied, that the product will comply with these requirements. Further, TE may change these requirements based on the results of additional testing and evaluation. Contact TE Engineering for further details.

## MCP HYB 4P Connector

### 1. SCOPE

#### 1.1. Content

This specification covers the requirements for product performance, test methods and quality assurance provisions of MCP HYB 4P Connector.

#### 1.2. Qualification

When tests are performed on the subject product line, procedures specified shall be used. All inspections shall be performed using the applicable inspection plan and product drawing.

#### 1.3. Qualification Test Results

Successful qualification testing on the subject product line has not been completed. The Qualification Test Report number will be issued upon successful qualification testing.

## 2. APPLICABLE DOCUMENTS AND FORMS

The following documents and forms constitute a part of this specification to the extent specified herein. Unless otherwise indicated, the latest edition of the document applies.

#### 2.1. TE Documents

- 1897209: Customer Drawing (MCP 4P CAP)
- 1897210: Customer Drawing (MCP 4P PLUG)

#### 3. **REQUIREMENTS**

3.1. Design and Construction

Product shall be of the design, construction, materials and physical dimensions specified on the applicable product drawing.

#### 3.2. Ratings

Voltage	Temperature	Humidity
12V DC	25±5℃	60±20%

#### 3.3. Test Requirements and Procedures Summary

Unless otherwise specified, all tests shall be performed at ambient environmental conditions.

TEST REQUIREMENT DESCRIPTION	PROCEDURE
---------------------------------	-----------



Appearance	No crack, damage, distortion are permitted	Using sense of sight and touch.		
CONN engage and disengage force	Max 14 kgf and less	Measure force by inserting and disengaging the connector with terminal assembled at constant 50 mm/min speed. However, remove lock part when measuring disengage force.		
Reverse insertion between housings	It shall not be incorrectly inserted by applying force of 20kgf.	Insert the housing with terminal by pushing it in reverse direction with applying 20kgf.		
Contact to HSG Inverse Force	Min 1.5kgf	Crimp cable of maximum size on terminal and then insert it into housing by end of insulation barrel in the reserve direction.		
Strength of HSG lock	Min 10kgf	Combine housing only, fix the one side of housing in completely locked condition, and extend the other side in axial direction and 30 angle direction at a constant speed of 50mm/min. Then measure weight when lock structure is disengaged or destroyed.		
HSG lock releasing force	Max 6kgf	Apply force (F) to lock releasing part, and measure weight on the point of A=0. However, cut connector and then perform test at the section in order to secure visibility.		
Terminal retention force	110 Min 6kgf 250 Min 8kgf	Fix the housing after inserting crimped terminals. Extend one line of cable in axial direction at a speed of 50mm/min at a position 50~100mm away from crimped part, and measure weight when terminal is disengaged from the housing.		
Voltage Drop	Max 3mV/A	Measure the circuit voltage drop (V) by sending voltage and current described in the table         5-1 with terminal combined on the connector.         Then calculate a voltage drop (VD) in terminal         by subtracting cable resistance (L) from the circuit voltage drop (V).         1)HARNESS versus UNIT:VD =V(L3+L4)         Application       Open voltage         Signal circuit       20 ± 5 W         10 mA       ECU, Sensor		
		Power circuit 13 Y 1 A Other than the above		
		<table5-1></table5-1>		
Insulation resistance	Min 250 <sup>M</sup> Ω	Measure resistance between neighbor terminals (figure 5-6), and between terminal and housing surface (figure 5-7) with DC 500V insulation resistance gauge with connector combined.		



				COR       OC 500V Insulation resistance gauge         COR       Insulation resistance gauge         Cor       Cor         Cor       Insulation resistance gauge         Cor       Cor         Cor       Insulation resistance gauge         Cor       Cor         Cor       Cor
High voltage test	No allowed insulation breakdown			Measured by applying test potential of 1000 V AC between the adjacent contact between the contact and housing.
Twisting Test - Connector	Appearance	No crack, damage, distortion are permitted		Apply 8kgf force on the end part of combined connector 10 times each in the (front, rear, left, right) directions perpendicular to axial direction.
Engage and Disengage Endurance Test	M	Max 10mV/A		Make combine connectors engage and disengage at 100mm/min. Perform it 50 times. (Do not use locking device)
	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in temperature chamber of $-40^{\circ}$ C for 120 hours. Make
	Voltage Drop	Max 10mV/A		connector engaged and disengaged 5 times immediately, and drop it onto the concrete surface from 1m height 3 times in the direction of figure 6-1. (Voltage drop & Temperature rise test
Cold temperature test	Insulation Resistance	Non- Sealed CONN'R : Min 100 MΩ	Between terminals housing surface	perform at normal temperature) :
	Current Leakage	Max 1 <sup>µA</sup>		<pre>     Figure 6-1&gt; </pre>
	Temperature Rise	Max 40°C		
Cold and hot	Appearance	ppearanceNo crack, damage, distortion are permittedVoltage DropMax 10mV/A		Engage and disengage Connector with terminal assembled 10 times with hands, this repeats 200 CYCLE by below test condition. (Sealed : 120°C, Non-Sealed : 80°C)
shock test				Normal temperature $-40^{\circ}C$ T1 T2 T1 T2 T1 T2 $T1 \leq 5$ minutes T2 = 1 hour T2 = 1 hour
High	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it in combined state at the temperature chamber of the table 6-1 for 300 hours. Then pick it out and leave it until it returns to normal temperature.
temperature test	Voltage Drop	Max 10mV/A		High temperature(*)     Connector using part       80°C     Non-waterproof connector
Temperature Humidity Test	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and leave it at 25°C ambient temperature and 65% relative humidity for 25 hours. And perform 5 cycles of the method specified in figure 6-3



	Voltage Drop Insulation Resistance	Max 1 Min 100 <sup>M</sup> Ω	0mV/A housing surface	(°C) 60# 2 °C, 90 ± 5%RH 90 ± 10%RH 45± 2°C, 95 ± 5%RH 65± 10%RH 2hr 4hr 2hr 4hr 2hr 1 CYCLE		
	Current Leakage	Max	1 <i>μ</i> Α	< Figure 6-3 : Test pattern >		
Dust Test	Voltage Drop	Max 10mV/A		Engage and disengage connector with terminal assembled 10 times with hands, and diffuse 1.5kg Portland cement(JIS R5210) with fan (or others) for 10 seconds per 15 minutes while maintaining 150mm distance from wall in the closed container of 900~1200mm length, width and height, with connector combined. After 1 hour, measure it.		
	Appearance	No crack, damage, distortion are permitted		Make combined connectors engaged and disengaged 10 times t hands, and leave it in combined state at 120 °C ambient tempera for 40 minutes and then spray water of normal temperature for 2		
Waterproof Test	Insulation Resistance	Min 100 <sup>⋈</sup> Ω	housing surface	minutes according to S2 of JIS D0203. Repeat 48 cycles of this * JIS D0203 S2 condition: attach specimen at 400mm distance the waterproof pipe with water spray hole or water discharge ho and rotate waterproof pipe 23 times per minute around the axis		
	Current Leakage	Max 1 <sup>µA</sup>		and rotate waterproof pipe 25 times per minute around the axis.		
Oil and	Appearance	No crack, damage, distortion are permitted		<ul> <li>Engage and disengage connector with terminal assembled 10 times with hands, and perform test each sample with connector combined.</li> <li>A. Immerge connector in combined state for 2 hours in mixed oil of 50± 2°C ENG oil (SAE10W) or equivalent oil and</li> <li>B. Immerge connector in combined state for1 hour in car gasoline (JIS K2202) at normal temperature, and then pick it out.</li> <li>C. Immerge connector in combined state for 1 hour in brake</li> </ul>		
liquid test Voltage Drop Max 10mV/A		0mV/A	<ul> <li>C. Immerge connector in combined state for 1 hour in brake liquid (pure product) at normal temperature, and then pick it out.</li> <li>D. Immerge connector in combined state for 1 hour in 100% washer liquid (pure product) at normal temperature, and then pick it out.</li> <li>E. Immerge connector in combined state for 1 hour in 50% LLC (Long life coolant) at normal temperature, and then pick it out.</li> </ul>			
Ozone Test	Appearance	No crack, damage, distortion are permitted		Engage and disengage Connector with terminal assembled 10 times with hands, and samples keep at 40°C and 50±5pphm		
	Voltage Drop	Max 10mV/A		Ozone for 100hour. Then pick connector out of chamber and dry it for 2hours or more.		
Sulfur (SO2)			ion are	Engage and disengage connector with terminal assembled 10 times with hands, and expose it in combined state to sulfur gas of 40±3°C, density 10ppm, humidity 90~95%, for 24 hours. Then pick connector out of chamber and dry it for 2 hours or more.		
gas test	Voltage Drop	Max 10mV/A				



Salt water test	Appearance	No crack, damage, distortion are permitted		Engage and disengage connector with terminal assembled 10 times with hands, and pout it in 35°C temperature regulation chamber, spray 5% salty water for 24 hours according to JIS Z2371, and, maintain room temperature without spray for 1 hour, Then repeat this four times. Then pick connector out of chamber and dry it at room temperature for 2 hours or more.	
	Voltage Drop	Max 10mV/A			
	Insulation Resistance	Min 100 <sub>MΩ</sub>	Between terminals housing surface		
	Current Leakage	Max 1 <sup>µA</sup>			
	Appearance	No crack, damage, distortion are permitted		times with hands, and le	connector with terminal assembled 10 eave it in combined state in the f 120℃ or 80℃ (follows table 7) for 48
	Crimp Tensile Strength	0.3SQ (110)	Min 6kgf	hours. And then perform the following vibration test. Then measure instant short circuit according to the method of clause 4.16 for	
		2.5SQ (110)	Min 25kgf	4 hours for X, Y, Z each Division	Condition
Complex environment endurance test		0.5SQ (250)	Min 9kgf	Ambient temperature/humidity	80°C, 90~95% Basic current (Connector electrodes
		(200) 2.5SQ (250)	Min 25kgf	Applied current Current application cycle	in series.) 120 CYCLE (45 minutes-ON, 15 minutes-OFF)
	Voltage	Max 10mV/A		Vibration acceleration	4.4g
	Drop			Frequency	20Hz ~ 200Hz (sweep time: 3 minutes or less)
	Temperature Rise	Max 40°C		Vibration time	40 hours for X, Y, Z each
	Instant short circuit	Max 10,4s		Connector attaching method	Test mode A, B, C

# 3.4. Applied Part No List

TE Part no	Description
1897209-2	MCP HYB 4P CAP ASSY
1897210-1	MCP HYB 4P PLUG ASSY