





LOC		DIST		REVISIONS			
P	LTR	DATE	DRN	APVD			
0		RELEASED PER EC OS14-0164-05	09MAY05	BM	JL		

- 1 ZINC PER QQ-Z-363.
- 2 POLYMETHYLPENTENE, GENERAL PURPOSE.
- 3 PHOSPHOR BRONZE PER QQ-B-750.
- 4 BRASS PER ASTM-B-453.
- 5 NICKEL PLATE PER QQ-N-290, 3.81µm [.000150] MINIMUM THICKNESS.
- 6 TIN PLATE PER ASTM-B-545, 3.81µm [.000150] MINIMUM THICKNESS.
- 7 GOLD PLATE PER ASTM B488, 0.76 µm [.000030] MINIMUM THICKNESS.
- 8. SEE INSTRUCTION SHEET 408-2769.



1274668-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S2	MCMMASTER	09MAY05	<b>tyco</b> Electronics	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: mm [INCHES]		CHK J. LIPPERT	09MAY05	NAME		JACK, RIGHT ANGLE, PCB 50 OHM, SERIES BNC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD J. LIPPERT	09MAY05	PRODUCT SPEC	108-12078		
0 PLC ± -				APPLICATION SPEC	-		
1 PLC ± -				SIZE	A1		
2 PLC ± 0.20(.008)				WEIGHT	-		
3 PLC ± -				CAGE CODE	-		
4 PLC ± -				DRAWING NO	1274668		
ANGLES ± -				RESTRICTED TO	-		
FINISH				SCALE	6:1		
MATERIAL				SHEET	1 OF 1		
FINISH				REV	0		
CUSTOMER DRAWING							