



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		C	EC 0G3C 0650 04	10MAR05	BSV	DFR
			C1	REVISED PER ECO-09-020774	24AUG09	KK	AEG



- △1 CUT OUTS ON BOX AT MANUFACTURER'S OPTION
- △2 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- △3 POINT OF MEASUREMENT FOR PLATING THICKNESS (OUTSIDE BOTTOM)
- △4 ROHS 2002/95/EC COMPLIANT
- △5 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

△4	.000030 GOLD IN CONTACT AREA, .000050 MIN TIN IN AREA SHOWN, ALL OVER .000030 NICKEL.	5-102641-6
△5 SUPERSEDED	.000030 GOLD IN CONTACT AREA, .000050 MIN TIN-LEAD IN AREA SHOWN, ALL OVER .000030 NICKEL	102641-3
	PLATING	PART NO LOOSE PIECE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.S.VISWESWARA 10MAR05	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK D.F.ROHDE	NAME	
	0 PLC ± -	APVD -	CONTACT-MOD IV MASS TERMINATION AMPMODU HIGH PRESSURE #26-30 AWG WIRE SIZE	
	1 PLC ± -	PRODUCT SPEC -	SIZE A2	CAGE CODE 00779
	2 PLC ± -	APPLICATION SPEC -	DRAWING NO C=102641	
	3 PLC ± .005	WEIGHT -	RESTRICTED TO	
	4 PLC ± -	CUSTOMER DRAWING	SCALE 10:1	SHEET 1 OF 1
	ANGLES ± -		REV C1	
MATERIAL PHOS. BRONZE	FINISH SEE TABLE			