






LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		A		INITIAL RELEASE	22FEB2012	JY	AC
		B		REVISED PER ECO-14-000886	20FEB2014	JW	SH







TOP VIEW
SCALE 2:1

- ▲ DATUM AND BASIC DIMENSION TO BE DETERMINED BY CUSTOMER.
- ▲ INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.
- ▲ TOP OF PT CONNECTOR TO BE 0-0.15 FROM INSIDE SURFACE OF SPRING PLATE.
- ▲ COPPER ALLOY.
- ▲ LCP, HIGH TEMPERATURE, UL 94V-0 RATED, BLACK.
- ▲ POLYESTER, UL 94V-0 RATED, BLACK.
- ▲ CONTACT MATING AREA: SURFACE TREATMENT OVER 0.76µm MINIMUM GOLD PER ASTM B488 OVER 1.27µm MINIMUM NICKEL PER QQ-N-290.
NEEDLE EYE: 1.25µm MINIMUM TIN PER ASTM B545 OVER 1.25µm MINIMUM NICKEL PER QQ-N-290. REMAINDER OF CONTACT: 0.76µm MINIMUM NICKEL PER QQ-N-290.
- ▲ NICKEL SILVER ALLOY (NO PLATING).
- ▲ DATE CODE AND PART NUMBER IN APPROXIMATE LOCATION SHOWN

2170285-1
PART NUMBER




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: JASON YANG 22FEB2012	TE Connectivity
		CHK: ALEX CAI 22FEB2012	
DIMENSIONS:		APVD: ALEX CAI 22ALEX CAI	NAME: CAGE ASSEMBLY AND PT CONNECTOR ASSEMBLY, 1X4, SFP
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	
mm	0 PLC ±	108-2161	SIZE: CAGE CODE DRAWING NO: A100779C=2170285
	1 PLC ±0.1	APPLICATION SPEC	
	2 PLC ±	114-13121	RESTRICTED TO:
	3 PLC ±	WEIGHT	
	4 PLC ±	CUSTOMER DRAWING	SCALE: 5:1 SHEET 1 OF 3 REV B
	ANGLES ±		
MATERIAL	FINISH		
SEE NOTES	SEE NOTES		

LOC		DIST		REVISIONS			
ES	00	P	LTH	DESCRIPTION	DATE	DMN	APVD
		-		SEE SHEET 1			



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: JASON YANG 22FEB2012	TE Connectivity
DIMENSIONS: mm		CHK: ALEX CAI 22FEB2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: ALEX CAI 22ALEX CAI	NAME: CAGE ASSEMBLY AND PT CONNECTOR ASSEMBLY, 1X4, SFP
0 PLC ±	1 PLC ±0.1	PRODUCT SPEC: 108-2161	SIZE: CAGE CODE DRAWING NO: A100779C=2170285
2 PLC ±	3 PLC ±	APPLICATION SPEC: 114-13121	RESTRICTED TO: -
4 PLC ±	ANGLES ±1°	WEIGHT: -	SCALE: 5:1 SHEET 2 OF 3 REV B
MATERIAL: SEE NOTES	FINISH: SEE NOTES	CUSTOMER DRAWING	

LOC		DIST		REVISIONS			
ES	00	P	LTH	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



RECOMMENDED LAYOUT FOR MATING TRANSCEIVER PCB

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: JASON YANG 22FEB2012	TE Connectivity
DIMENSIONS: mm		CHK: ALEX CAI 22FEB2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: ALEX CAI 22ALEX CAI	NAME: CAGE ASSEMBLY AND PT CONNECTOR ASSEMBLY, 1X4, SFP
0 PLC ±	1 PLC ±0.1	PRODUCT SPEC: 108-2161	SIZE: A1
2 PLC ±	3 PLC ±	APPLICATION SPEC: 114-13121	CAGE CODE: 2170285
4 PLC ±	ANGLES ±1°	WEIGHT: -	RESTRICTED TO: -
MATERIAL: SEE NOTES	FINISH: SEE NOTES	CUSTOMER DRAWING	SCALE: 1:1 SHEET 3 OF 3 REV B