






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

PROD	LOC	DIST	REVISIONS					
3346	DF	XO	P	LTR	DESCRIPTION	DATE	DWN	APVD
			J1		ECR-12-005726	27MAR12	RK	MY



RECOMMENDED STRIP LENGTH  
SCALE NTS



ASSEMBLED VIEW  
SCALE 4:1

- ① MAT'L: BERYLLIUM COPPER PER ASTM-B-196.
- ② MAT'L: COPPER PER ASTM-B-152.
- ③ MAT'L: BRASS PER ASTM-B-16.
- ④ FINISH: MATTE TIN PLATED PER MIL-T-10727.
- ⑤ FINISH: GOLD PLATE PER MIL-G-45204 OVER NICKEL PER QQ-N-290.
- ⑥ FINISH: GOLD PLATE PER MIL-G-45204 OVER COPPER PER MIL-C-14550.
- 7. DIELECTRICS ARE PTFE PER MIL-P-19468.
- 8. CRIMP WITH TOOL #220020-1; SEE I.S.2224.
- 9. FOR USE WITH RG-174 AND 188 COAX CABLE.

51749-1  
PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.C.THOMAS	8-5-93		TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK	J.CABARLO	9-7-93		NAME			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J.CABARLO	9-7-93		PRODUCT SPEC			
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .015 [0.38] 4 PLC ± - ANGLES ± -		APPLICATION SPEC		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO	
MATERIAL SEE CALLOUTS		FINISH SEE CALLOUTS		WEIGHT	A2 00779		④=51749-1	—	
CUSTOMER DRAWING				SCALE	8:1	SHEET	1 of 1	REV	J1