

4

3

2

1

THIS DRAWING IS UNPUBLISHED

RELEASED FOR PUBLICATION

2018

© COPYRIGHT 2018

BY - TE CONNECTIVITY

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER PCN E-18-015129	13DEC2018	SS	DM
	A1	DRAWING UPDATED	12MAR2024	RK	CB

TE INTERNAL PN	DEUTSCH PN	
DTHD06-1-4S-E003	DTHD06-1-4S-E003	
CONTACT SIZE	MIN. INSUL O.D.	MAX. INSUL O.D.
4	.261 [6.63]	.420 [10.67]

4 MATERIAL: PLUG: PEI (BLACK); WELD CAP: PEI (BLACK); INTERFACE SEAL: VMQ (RED-ORANGE)

3 DATE CODE: MONTH IS REPRESENTED BY SEQUENTIAL ALPHA CHARACTERS. EX: A = JANUARY. YEAR IS REPRESENTED BY LAST NUMERIC DIGIT. EX: 7 = 2007.

2. FOR "PERFORMANCE AND APPLICATION CHARACTERISTICS OF SOLID/STAMPED AND FORMED CONTACTS AND WIRES", SEE CUSTOMER DRAWING 0425-015-0000.

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. NORRIS 06DEC1994														
DIMENSIONS: INCHES [mm]		CHK D. MEYER 06DEC1994														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. REED 06DEC1994	NAME PLUG POWER DT SIZE 4 HD CONTACTS -E003 MOD													
<table border="1"> <tr> <td>0 PLC</td> <td>±-</td> </tr> <tr> <td>1 PLC</td> <td>±-</td> </tr> <tr> <td>2 PLC</td> <td>±-</td> </tr> <tr> <td>3 PLC</td> <td>±.025 [0.64]</td> </tr> <tr> <td>4 PLC</td> <td>±-</td> </tr> <tr> <td>ANGLES</td> <td>±0°30'0"</td> </tr> </table>		0 PLC	±-	1 PLC	±-	2 PLC	±-	3 PLC	±.025 [0.64]	4 PLC	±-	ANGLES	±0°30'0"	PRODUCT SPEC 108-151020	SIZE A3	
0 PLC	±-															
1 PLC	±-															
2 PLC	±-															
3 PLC	±.025 [0.64]															
4 PLC	±-															
ANGLES	±0°30'0"															
MATERIAL		APPLICATION SPEC 114-151020	CAGE CODE 4AFU8	DRAWING NO DTHD06-1-4S-E003												
FINISH		WEIGHT 12 g	RESTRICTED TO													
		CUSTOMER DRAWING	SCALE 3:1	SHEET 1 OF 1												
			REV A1													

1470-19 (3/13)