

Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

/225 Pre-coated Adhesive

This material is produced as an "article" as defined in Regulation (EC) No 1907/2006 (REACH Regulation) and is therefore exempt from CLP 1272/2008 and SDS regulation 2015/830. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name /225 Pre-coated Adhesive

Synonym(s) UNICURE, /225
Product code Not applicable

Product type Article with substance/mixture as integral part

REACH Registration No. Not applicable (Article)

1.2 Relevant identified uses of the substance or mixture

and uses advised against

Identified Use(s) Professional use

Heat shrinkable polymeric products

Sealants; Adhesives

Uses Advised Against Anything other than the above.

1.3 Details of the supplier of the safety data sheet

Supplier Tyco Electronics UK Ltd

Faraday Road, Dorcan, Swindon, Wiltshire, SN3 5HH, United Kingdom

Telephone +44 (0) 1793 52 81 71 (Head Office)

Monday - Friday 08:00 - 17:00 (GMT)

Fax +44 1793 57 2516
E-Mail (competent person) msdsmaterialsuk@te.com

1.4 Emergency telephone number

Emergency Phone No. +44 1793 528171 GMT (Monday to Friday 08:00 - 17:00)

Languages spoken English

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

This material is produced as an "article" as defined in Regulation (EC) No 1907/2006 (REACH Regulation) and is therefore exempt from CLP 1272/2008 and SDS regulation 2015/830. Since this material has no intended release of a substance and will not result in exposure to a hazardous chemical under normal conditions of use, no hazard classification or Safety Data Sheet is required. A Product Safety Information Sheet has been provided for supply chain communication purposes and handling / storage recommendations only.

2.1.1 Regulation (EC) No. 1272/2008 (CLP)

2.2 Label elements

Hazard Pictogram(s)

Signal Word(s)

Hazard Statement(s)

Precautionary Statement(s)

Supplemental information

Not applicable.

Not applicable.

Not applicable.

Not applicable.

2.3 Other hazards Product type: Article with substance/mixture as integral part. Molten material can

Not applicable.

cause severe burns.

Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin

reaction. Toxic to aquatic life with long lasting effects.

Heating can generate vapors that could cause headaches, nausea, dizziness,

and respiratory irritation if inhaled.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures Substances in preparations / mixtures.

As the product is an "article" (as defined in Regulation (EC) No 1907/2006), no components need to be listed within section 3 of the SDS as the requirements of SDS regulation 2015/830 do not apply. This product does not contain any known "substances of very high concern" (SVHC's).



Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

/225 Pre-coated Adhesive

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Self-protection of the first aider

Inhalation

Skin Contact

Eye Contact

Ingestion

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

No action should be taken involving personal risk. Wear appropriate personal protective equipment, avoid direct contact.

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF ON SKIN: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Molten material can cause severe burns. Do NOT try to peel molten material from the skin. Cool rapidly with water. If on skin immerse in cool water/wrap with wet bandages. Get immediate medical attention.

Remove contact lenses, if present and easy to do. Continue rinsing. Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. If irritation develops and persists, get medical attention.

Give plenty of water to drink. Get medical advice/attention if you feel unwell.

None anticipated.

Molten material can cause severe burns.

Mixture: Causes skin irritation. Causes eye irritation. May cause an allergic skin reaction. Heating can generate vapors that could cause headaches, nausea, dizziness, and respiratory irritation if inhaled.

Treat symptomatically. No antidotes known.

SECTION 5: FIREFIGHTING MEASURES

5.1 **Extinguishing media**

Suitable Extinguishing media

Unsuitable extinguishing media

- 5.2 Special hazards arising from the substance or mixture
- 5.3 Advice for fire-fighters

6.2

Not flammable. In case of fire use extinguishing media appropriate to surrounding conditions. Water spray, foam, dry powder or CO2.

Do not use water jet. Direct water jet may spread the fire.

May give off noxious and toxic fumes in a fire. Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Environmental precautions

6.3 Methods and material for containment and cleaning

6.4 Reference to other sections Wear appropriate personal protective equipment, avoid direct contact.

Do not allow to enter drains, sewers or watercourses. Spillages or uncontrolled discharges into soil must be alerted to the appropriate regulatory body.

Contain spillages. Allow product to cool/solidify and pick up as a solid. Recover the product where possible. Ventilate the area and wash spill site after material pick-up is complete. Wet clean or vacuum up solids. Use appropriate container to avoid environmental contamination.

See Also Section: 8, 13.



Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

1225 Pre-coated Adhesive

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Provide adequate ventilation when using the material and follow the principles of

good occupational hygiene to control personal exposures. Do not eat, drink or smoke when using this product. Ensure adequate ventilation. Avoid contact with

skin, eyes or clothing.

Refer to manufacturer's product installation instructions.

7.2 Conditions for safe storage, including any Keep only in original packaging. Keep in a well ventilated place. Keep container

closed.

Storage temperature Store in a cool/low-temperature, well-ventilated (dry) place away from heat and

ignition sources. Recommended: <40 °C

Storage life Stable at ambient temperatures.

Incompatible materials Keep away from oxidising substances. Avoid contact with acids and alkalis. Specific end use(s)

See Section: 1.2. Refer to manufacturer's product installation instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 **Control parameters**

7.3

8.1.1 **Occupational Exposure Limits**

incompatibilities

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note	
Fumed silica	112945-52-5	-	6	-	-	WEL: Inhalable Aerosol	
		-	2.4	-	-	WEL: Respirable Aerosol	

Source: WEL: Workplace Exposure Limit (UK HSE EH40).

8.1.2 Not established. **Biological limit value** 8.1.3 **PNECs and DNELs** Not applicable

8.2 **Exposure controls**

8.2.1 Appropriate engineering controls Provide adequate ventilation when using the material and follow the principles of

good occupational hygiene to control personal exposures. Keep away from fire,

sparks and heated surfaces.

8.2.2 Use personal protective equipment as required. Take care for general good Personal protection equipment

hygiene and housekeeping. Avoid inhalation of vapours that may be evolved at

elevated temperatures.

Eye/ face protection Wear eye protection with side protection (EN166).



Skin protection (Hand protection/ Other)



Respiratory protection



Thermal hazards

8.2.3 **Environmental Exposure Controls**

Hand protection

Insulating gloves EN 407 (heat). Breakthrough time of the glove material: refer to the information provided by the gloves' producer.

Body protection Wear impervious protective clothing, including boots, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection is not necessary if room is well ventilated. In case of inadequate ventilation wear respiratory protection. Recommended: A self contained breathing apparatus may be appropriate. EN140 with a type A filter.

Not applicable.

Avoid release to the environment



Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

/225 Pre-coated Adhesive

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Grev Solid Odour Odourless Odour threshold Not determined рΗ Not applicable (Article)

Melting point/freezing point <100 °C Initial boiling point and boiling range Not determined Flash point Not determined Evaporation rate Not applicable (Article) Flammability (solid, gas) Not determined Upper/lower flammability or explosive limits Not determined Vapour pressure Not applicable (Article)

Vapour density Not applicable (Article)

Relative density 0.9-1.8

Solubility(ies) Water: Insoluble Partition coefficient: n-octanol/water Not applicable (Article) Auto-ignition temperature Not determined **Decomposition Temperature** Not determined Viscosity (mPa. s) Not applicable (Article) Explosive properties Not determined Oxidising properties Not determined

9.2 Other information None

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions. 10.2 **Chemical stability** Stable under normal conditions.

10.3 Possibility of hazardous reactions Avoid overheating.

Refer to manufacturer's product installation instructions.

10.4 Conditions to avoid Avoid overheating.

Refer to manufacturer's product installation instructions. 10.5 Incompatible materials Keep away from oxidising substances. Avoid contact with acids and alkalis.

10.6 Hazardous decomposition product(s)

Combustion products: Carbon monoxide, Carbon dioxide, Oxides of nitrogen.

Decomposition products may include toxic and irritant fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

This material is produced as an "article" as defined in Regulation (EC) No 1907/2006 (REACH Regulation) and is therefore exempt from CLP 1272/2008 and SDS regulation 2015/830.

Acute toxicity - Ingestion Based upon the available data, the classification criteria are not met. Acute toxicity - Inhalation Based upon the available data, the classification criteria are not met. Acute toxicity - Skin Contact Based upon the available data, the classification criteria are not met. Skin corrosion/irritation Based upon the available data, the classification criteria are not met. Serious eye damage/irritation Based upon the available data, the classification criteria are not met. Respiratory or skin sensitization Based upon the available data, the classification criteria are not met. Germ cell mutagenicity Based upon the available data, the classification criteria are not met. Carcinogenicity Based upon the available data, the classification criteria are not met. Reproductive toxicity Based upon the available data, the classification criteria are not met. STOT - single exposure Based upon the available data, the classification criteria are not met. STOT - repeated exposure Based upon the available data, the classification criteria are not met. Aspiration hazard Based upon the available data, the classification criteria are not met.

11.2 Other information Risk of burns from molten product.



12.2

Product Safety Information Sheet

Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

/225 Pre-coated Adhesive

SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability

This material is produced as an "article" as defined in Regulation (EC) No 1907/2006 (REACH Regulation) and is therefore exempt from CLP 1272/2008 and SDS regulation 2015/830.

12.1 Toxicity Contains environmentally dangerous component(s) which cannot be released in

normal conditions of use. No information available. No information available.

12.3 Bioaccumulative potential No information available.
 12.4 Mobility in soil Not applicable (Article)

12.5 Results of PBT and vPvB assessment None of the substances in this product fulfil the criteria for being regarded as a

PBT or vPvB substance. No information available

12.6 Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of wastes in an approved waste disposal facility. Do not dispose of with

household waste, trash or other solid waste. Recover or recycle if possible.

Waste material: 08 04 09 Packaging waste: 15 01 10

13.2 Additional Information Allocation of a waste code number, according to the European Waste

Catalogue, should be carried out in agreement with the regional waste disposal

company.

SECTION 14: TRANSPORT INFORMATION

Waste code(s) / waste designation(s)

This product is regarded as an article and this product is physically and chemically stable under normal conditions. Thus, this product is not regarded as dangerous goods under UN transport regulations.

~~ ~~ <u>e</u>	oreas geode arras. Or thansport regulations.			
		Road/Rail (ADR/RID)	Sea transport (IMDG)	Air (ICAO/IATA)
14.1	UN number	Not applicable.	Not applicable.	Not applicable.
14.2	UN proper shipping name	Not applicable.	Not applicable.	Not applicable.
14.3	Transport hazard class(es)	Not applicable.	Not applicable.	Not applicable.
	Hazard Identification Number	Not applicable.	Not applicable.	Not applicable.
	Classification code:	Not applicable.	Not applicable.	Not applicable.
14.4	Packing group	Not applicable.		
14.5	Environmental hazards	Not applicable.		
14.6	Special precautions for user	Not applicable.		
	Special Provisions	Not applicable.		
	Limited Quantities	Not applicable.		
	Excepted Quantities	Not applicable.		
14.7	Transport in bulk according to Annex II of MARPOL	Not applicable.		
	73/78 and the IBC Code			
14.8	Additional Information	None known		

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or Restrictions On Use None. Volatile Organic Compound Content (%): 0.4%

15.1.2 National regulations None known.

15.2 Chemical Safety Assessment None.



Version: 31-AUG-2018 Revision date: 31-August-2018 ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2015/830

/225 Pre-coated Adhesive

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: New SDS Regulation 2015/830 format, all sections have been updated to include new information. Please review SDS with care.

Version: 31-AUG-2018 Date of preparation: 31-August-2018 Date Previous Issue: Not applicable.

References:

Existing Safety Data Sheet (SDS).

Hazard classification: This material is produced as an "article" as defined in Regulation (EC) No 1907/2006 (REACH Regulation) and is therefore exempt from CLP 1272/2008 and SDS regulation 2015/830.

LEGEND

ADR/RID ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road / RID: Regulations

concerning the international railway transport of dangerous goods

CAS CAS: Chemical Abstracts Service

DNEL Derived No Effect Level EC EC: European Community

EU European Union

IATA IATA: International Air Transport Association

ICAO/IATA ICAO: International Civil Aviation Organization / IATA: International Air Transport Association

IMDG IMDG: International Maritime Dangerous Goods

LTEL Long Term Exposure Limit

PBT PBT: Persistent, Bioaccumulative and Toxic

PNEC Predicted No Effect Concentration STEL Short Term Exposure Limit

UN United Nations

vPvB vPvT: very Persistent and very Toxic

Training advice: Consideration should be given to the work procedures involved and the potential extent of exposure as they may determine whether a higher level of protection is required.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Tyco Electronics UK Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Tyco Electronics UK Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.