



NOTES Bemerkungen	MARKINGS FOR PINOUT CONFIGURATION Markierung fuer Pinout-Konfiguration	TE PN TE Nr.	REV	PINOUT CONFIGURATION																																
				BLANKED CAVITIES INDICATE CLOSED LOCATIONS Leere Felder kennzeichnen geschlossene Kammern																																
				WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS Markierte Felder mit "X" kennzeichnen offene Kammern																																
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
-	013	1-1719675-3	0			X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	012	1-1719675-2	0								X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Y285-14-MANAUTO-0820	010	1-1719675-0	0		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Y285-DW10-MANAUTO-0746	009	0-1719675-9	0	X	X	X					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
DV6	004	0-1719675-4	0								X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
N14 MAN 0720 F32	003	0-1719675-3	0		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DW10 Auto 0746	002	0-1719675-2	0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DW10 MAN	001	0-1719675-1	0	X		X					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	

CODING 1

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	-	-	SEE SHEET 1	-	-	-

CODING 1
 COLOR BLACK
 LEVER RIGHT
 CABLE EXIT LEFT
 PN 1719675 / 2177515



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. KRESSMANN	16 JUL 2007						
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK	G. PUCKEL		19 JUL 2007				
		0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 1°	APVD	G. MUMPER		23 JUL 2007				
MATERIAL	FINISH	WEIGHT	NAME			DIFFERENT PIN OUT CONFIGURATION FOR 32 POS. MIXED RECEPTACLE HOUSING				
-	-	-	SIZE	A1	CAGE CODE	00779	DRAWING NO	1670065	RESTRICTED TO	-
CUSTOMER DRAWING			SCALE	1:1	SHEET	2	OF	6	REV	027

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	-	-	SEE SHEET 1	-	-	-

NOTES Bemerkungen	MARKINGS FOR PINOUT-CONFIGURATION Markierung Haupt-Pinout- Konfiguration	TE PN TE Nr.	REV	PINOUT CONFIGURATION																															
				BLANKED CAVITIES INDICATE CLOSED LOCATIONS Leere Felder kennzeichnen geschlossene Kammern																															
				WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS Markierte Felder mit "X" kennzeichnen offene Kammern																															
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
SPA	135	3-2141581-5						X	X	X					X	X			X	X			X				X	X	X	X	X	X	X	X	X
SPA2	134	3-2141581-4	0					X	X	X				X	X	X			X	X			X			X	X	X	X	X	X	X	X	X	X
SPA	120	2-2141581-0	0			X		X	X	X	X			X	X	X	X			X	X			X			X	X	X	X	X	X	X	X	X
-	107	0-2141581-7	0				X		X	X	X			X	X	X			X	X			X	X	X		X	X	X	X	X	X	X	X	X
CD34	101	0-2141581-1	0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	099	9-1670065-9	0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

CODING 1

CODING 1
 COLOR BLACK
 LEVER LEFT
 CABLE EXIT RIGHT
 PN 1670065 / 2141581


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. KRESSMANN	16 JUL 2007	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK	G. PUCKEL	19 JUL 2007	
	0 PLC ± 0.1	APVD	G. MUMPER	23 JUL 2007	
	1 PLC ± 0.1	PRODUCT SPEC	-	-	
MATERIAL	FINISH	WEIGHT	-	-	NAME DIFFERENT PIN OUT CONFIGURATION FOR 32 POS. MIXED RECEPTACLE HOUSING
-	-	-	-	-	SIZE: A1 CAGE CODE: 00779 DRAWING NO: 1670065 RESTRICTED TO: -
CUSTOMER DRAWING				SCALE: 1:1	SHEET: 3 OF 6 REV: 027

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	-	-	SEE SHEET 1	-	-	-

NOTES Bemerkungen	MARKINGS FOR PINOUT CONFIGURATION Markierung fuer Pinout-Konfiguration	TE PN TE Nr.	REV	PINOUT CONFIGURATION																																				
				BLANKED CAVITIES INDICATE CLOSED LOCATIONS Leere Felder kennzeichnen geschlossene Kammern																																				
				WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS Markierte Felder mit "X" kennzeichnen offene Kammern																																				
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32					
CD34x	102	0-2141582-2	0		X	X				X	X			X	X			X	X			X	X			X	X			X	X			X	X			X	X	
-	099	9-1719682-9	0	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	095	9-1719682-5	0	X	X	X			X	X	X	X	X				X	X	X	X	X				X	X	X	X	X			X	X	X	X			X	X	
Transit	094	9-1719682-4	0	X	X	X	X		X	X	X	X	X			X		X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	093	9-1719682-3	0		X	X	X			X	X	X	X			X		X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	092	9-1719682-2	0		X	X			X	X	X	X					X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	091	9-1719682-1	0	X	X	X	X			X	X	X	X			X		X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	090	9-1719682-0	0	X	X	X			X	X	X	X			X		X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	089	8-1719682-9	0		X	X			X	X	X	X					X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
Transit	088	8-1719682-8	0		X		X	X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	063	6-1719682-3	0	X			X	X	X	X	X					X		X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	062	6-1719682-2	0		X			X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	061	6-1719682-1	0		X		X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	060	6-1719682-0	0	X	X		X	X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	059	5-1719682-9	0		X		X	X	X	X	X	X			X	X	X	X	X	X	X	X				X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	058	5-1719682-8	0		X		X	X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	057	5-1719682-7	0	X	X		X	X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	056	5-1719682-6	0		X		X	X	X	X	X	X			X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
-	024	2-1719682-4	0												X	X	X	X	X	X	X			X	X		X		X		X	X	X	X	X	X	X	X		
-	023	2-1719682-3	0												X	X	X	X	X	X	X			X	X		X		X		X	X	X	X	X	X	X	X		

CODING 2

CODING 2
 COLOR GREY
 LEVER RIGHT
 CABLE EXIT LEFT
 PN 1719682 / 2141582



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. KRESSMANN	16 JUL 2007	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK	G. PUCKEL	19 JUL 2007
		0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 1°	APVD	G. MUMPER	23 JUL 2007
MATERIAL		FINISH	PRODUCT SPEC		
			APPLICATION SPEC	114-18761-1	
		WEIGHT			
			CUSTOMER DRAWING		
					
DIFFERENT PIN OUT CONFIGURATION FOR 32 POS. MIXED RECEPTACLE HOUSING					
SIZE	A1	CAGE CODE	00779	DRAWING NO	1670065
		RESTRICTED TO			
SCALE	1:1	SHEET	4	OF	6
REV 027					

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	Dwn	APVD
A1	-	-	-	SEE SHEET 1	-	-	-

CODING 2

CODING 2
 COLOR GREY
 LEVER LEFT
 CABLE EXIT RIGHT
 PN 1670066

NOTES Bemerkungen	MARKINGS FOR PINOUT-CONFIGURATION Markierung fuer Pinout-Konfiguration	TE PN TE Nr.	REV	PINOUT CONFIGURATION																																
				BLANKED CAVITIES INDICATE CLOSED LOCATIONS Leere Felder kennzeichnen geschlossene Kammern																																
				WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS Markierte Felder mit "X" kennzeichnen offene Kammern																																
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
-	099	9-1670066-9	D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transit	086	8-1670066-6	D		X			X	X		X		X	X	X		X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X	
Transit	085	8-1670066-5	D	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transit	084	8-1670066-4	D	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transit	083	8-1670066-3	D		X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transit	082	8-1670066-2	D		X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Transit	081	8-1670066-1	D	X			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	078	7-1670066-8	D	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	077	7-1670066-7	D	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
P1X, DV6B, SOP 0920	054	5-1670066-4	D	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	053	5-1670066-3	D									X	X				X	X	X	X		X	X				X	X								
-	052	5-1670066-2	D									X	X				X	X	X	X		X	X				X	X								
-	034	3-1670066-4	D	X				X	X	X	X						X	X	X	X		X	X				X	X								
-	033	3-1670066-3	D	X				X	X	X	X						X	X	X	X		X	X				X	X								
-	032	3-1670066-2	D									X	X				X	X	X	X		X	X				X	X								
-	031	3-1670066-1	D		X	X					X	X	X	X			X	X	X	X		X	X				X	X								
-	030	3-1670066-0	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	029	2-1670066-9	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	028	2-1670066-8	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	027	2-1670066-7	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	026	2-1670066-6	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	025	2-1670066-5	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	024	2-1670066-4	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	023	2-1670066-3	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	022	2-1670066-2	D									X	X				X	X	X	X		X	X				X	X								
-	020	2-1670066-0	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	019	1-1670066-9	D	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	018	1-1670066-8	D		X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
-	017	1-1670066-7	D	X	X			X	X	X	X						X	X	X	X		X	X				X	X								
-	016	1-1670066-6	D	X	X			X	X	X	X						X	X	X	X		X	X				X	X								
Y28544-MANALUTO-0746	011	1-1670066-1	D		X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NH4 MAN 0720 F32	008	0-1670066-8	D		X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DV6 Stage 3 0720	007	0-1670066-7	D	X	X			X	X	X	X						X	X	X	X		X	X				X	X								
DV6 Stage 4 0720	006	0-1670066-6	D	X	X			X	X	X	X						X	X	X	X		X	X				X	X								



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. KRESSMANN	16 JUL 2007	 TE Connectivity					
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±1°	CHK	G. PUCKEL	19 JUL 2007						
		APVD	G. MUMPER	23 JUL 2007						
MATERIAL	FINISH	WEIGHT	NAME DIFFERENT PIN OUT CONFIGURATION FOR 32 POS. MIXED RECEPTACLE HOUSING							
-	-	-	SCALE	A1	CAGE CODE	00779	DRAWING NO	1670065	RESTRICTED TO	-
CUSTOMER DRAWING		SCALE	11	SHEET	5	OF	6	REV	027	

NOTES Bemerkungen		HARKINGS FOR PINDOUT-CONFIGURATION Markierung fuer Pinout-Konfiguration	TE PN TE Nr.	REV	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
-		099	9-1418392-9	D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HCM		005	0-1418392-5	D									X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		

CODING 5

LOC	DIST	P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	-	-	-	SEE SHEET 1	-	-	-

CODING 5
 COLOR BLUE
 LEVER RIGHT
 CABLE EXIT LEFT
 PN 1418392

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. KRESSMANN	16 JUL 2007	 TE Connectivity
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK	G. PUCKEL	19 JUL 2007	
mm	0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.1 4 PLC ± 0.1 ANGLES ± 1°	APVD	G. MUMPER	23 JUL 2007	
		PRODUCT SPEC	-		
MATERIAL	FINISH	APPLICATION SPEC	114-18761-1	WEIGHT	-
-	-	CUSTOMER DRAWING			
		NAME	DIFFERENT PIN OUT CONFIGURATION FOR 32 POS. MIXED RECEPTACLE HOUSING		
SIZE	A1	CAGE CODE	00779	DRAWING NO	1670065
SCALE	1:1	SHEET	6	OF	6
REV	027				