


- CABLE ASSEMBLY 100% TESTED FOR OPENS AND SHORTS [300 VDC HIPOT].
- LABEL INFORMATION AS FOLLOWS: -1 SHOWN



TYCO 1948258-1	TYCO & TYCO P/N
NMS 6000-34236-A	CUSTOMER P/N & REV
YYWW	DATE CODE
MADE IN _____	COUNTRY OF ORIGIN
- SEE SHEET #2 FOR WIRING PATTERN.
- PRODUCT AND PROCESSING MEETS REQUIREMENTS OF TYCO ELECTRONICS STANDARD 230-702.
- PACKAGING: EACH CABLE ASSEMBLY SHALL BE PLACED IN ANTISTATIC BAG THE BAG SHALL BE LABELED CONTAINING THE INFORMATION AND FORMAT SHOWN BELOW (-1 SHOWN). THE BARCODE CONTENT SHALL BE 6000-34236-A (CUSTOMER PART NO & REV) IN BAR CODE FORMAT 128.



OBSOLETE	5M	-	-	5000±75	1948258-3
OBSOLETE	3FT	A	6000-34257	914±25	1948258-2
	2M	A	6000-34236	2000±50	1948258-1
	LENGTH	NMS REV	NMS PART NO	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DRN	T.SMITH	15JUN08
CHK	J.HACKMAN	15JUN08
APP'D	J.HACKMAN	15JUN08
NAME	CABLE ASSY, MRJ 21 TO RJ21	
PRODUCT SPEC	-	
APPLICATION SPEC	-	
WEIGHT	-	
MATERIAL	-	
FINISH	-	
SIZE	A1	00779
CAGE CODE	C=1948258	
DRAWING NO	-	
RESTRICTED TO	-	
CUSTOMER DRAWING	SCALE	SHEET 1 of 2 REV B



WIRING PATTERN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN T. SMITH 15JUN06	STE TE Connectivity	
DIMENSIONS: mm		CHK J. HACKMAN 15JUN06	NAME CABLE ASSY, MRJ 21 TO RJ21	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPD J. HACKMAN 15JUN06	PRODUCT SPEC -	
0 PLC ± -		APPLICATION SPEC -		
1 PLC ± -		SIZE A1		
2 PLC ± -		CASE CODE 00779		
3 PLC ± -		DRAWING NO C=1948258		
4 PLC ± -		RESTRICTED TO -		
ANGLES ± -		MATERIAL -		
FINISH -		WEIGHT -		
CUSTOMER DRAWING		SCALE -		
		SHEET 2 of 2		
		REV B		