







LOC		DIST		P		F		ZONE		LTR		REVISIONS			
AF	50											DESCRIPTION	DATE	APPD	
												N	REV PER 0710-0566-95	10JAN96	RG/NN

- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 12.7±0.08 [.500±.003] CENTERS.
- 2 SLOT TERMINATES A SINGLE 0.20mm DIA [#32] AWG COPPER MAGNET WIRE.
- 3 BOX TO MEET THIS DIMENSION WHEN INSERTED INTO A CAVITY 3.12 [.123] DEEP.
- 4 SYMMETRY TO BE MEASURED AT THE "NOSE" OF THE BOX.
- 5 MEASURE PLATING THICKNESS ON THE TAB, FORMED SIDE OF THE TERMINAL.
- 6 SLOT MUST ACCEPT A 0.089 [.0035] DIA PIN GAGE; SLOT MUST NOT ACCEPT A 0.18 [.007] DIA PIN GAGE. MEASURE ONE BEAM AT A TIME.
- 7 0.00254-0.006 [.000100-.000250] THICK TIN PLATE
- 8 POINT OF MEASUREMENT, LOCATED APPROXIMATELY AS SHOWN



THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INCORPORATED. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON:		DR 9-NOV-95 R. GRZYBOWSKI	<b>AMP</b> AMP Incorporated Harrisburg, PA 17105-3608		
2 PLC DEC ± 0.18 [.007]		CHK 9-NOV-95 M. S. FEHER			
3 PLC DEC ± -		APPD 9-NOV-95 N. E. NEFF	NAME <b>TAB</b> 3.00 [.118] CONNECTING, MAG-MATE™		
ANGLES ± 3°		APPD 9-NOV-95 T. L. SHUTTER			
MATERIAL	H04 PRE-MILLED BRASS	PRODUCT SPEC 108-2012	SIZE D	CAGE CODE 00779	DRAWING NO C-63247
FINISH	7	APPLICATION SPEC 114-2046	SCALE 5:1	SHEET 1 OF 1	
WEIGHT -		CUSTOMER DRAWING			