



925572

MASTER NUMBER

THIS DOCUMENT IS CONFIDENTIAL AND IS ISSUED TO YOU BY CONTRACTOR THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN THE PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TE INCORPORATED, HANNOVER, PA.

DRAHTQUERSCHNITT  
0,20 - 0,50mm<sup>2</sup>



1 OBSOLETE

Änderungen, die dem technischen Fortschritt dienen, behalten wir uns vor.

ABZUGSKRAFT: 15 KP MIN.

925 573 - 4	925 572 - 4	CuZn 30 F 53	VERZINNT	△
925 573 - 3	925 572 - 3	CuZn 30 F 53	BLANK	△
925 573 - 2	925 572 - 2	CuSn 6 F 56	VERZINNT	△
925 573 - 1	925 572 - 1	CuSn 6 F 56	BLANK	
L.P. NUMBER	STRIP - NUMMER	MATERIAL	OBERFLÄCHE	

CUSTOMER COPY / REFERENCE ONLY

MATERIAL	DR 1.8.75 <i>1/16</i> <i>APP</i>
HEAT TREAT	TEK
COATING OR PLATING	<b>TE</b> TE Connectivity
LSC	A NO 925572
REV	A2

A2	REVISED PER ECR-19-018151	10NOV2020	AA	EW
A1	925573-1 OBSOLETE		PKS	RRP
1	BY <i>TEK</i>		<i>TEK</i>	<i>TEK</i>
LTR	REVISION RECORD	EGA		

SCALE 10 : 1 NAME SPEZ.FLACHSTECKHÜLSE (FÜR STIFT 0.8x1.6)