


TE CONNECTIVITY (TE) RESERVES THE RIGHT TO CHANGE THIS DRAWING AT ANYTIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

REVISION			
LTR	DESCRIPTION	DATE	APPROVED
A	REVISED PER ECO-12-005005	06/13/2015	K. YEE
B	REVISED PER ECO-15-008666	06/09/2015	I. MYONG

PART NUMBERING SYSTEM
SPIN-LOCK WITH CLAMP STRAIN RELIEF



If this document is printed it becomes uncontrolled. Check for the latest revision

©2015 TE CONNECTIVITY LTD. FAMILY OF COMPANIES. ALL RIGHTS RESERVED
TE CONNECTIVITY AND TE CONNECTIVITY (LOGO) ARE TRADEMARKS.
OTHER LOGOS PRODUCT AND/OR COMPANY NAMES MAY BE TRADEMARKS OF THEIR RESPECTIVE OWNERS.

Raychem Adapters
PRODUCTION SPECIFICATION

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. REFERENCE METRIC DIMENSIONS ARE IN BRACKETS [metric].	DRAWN: M. FORONDA	DATE: 02/07/2005		TE Connectivity			
	REDRAWN: T. NGUYEN	DATE: 06/09/2015					
DECIMALS TOLERANCES: XXX ± .005 [0.13mm] XX ± .01 [0.25mm] X ± .1 [0.50mm] ANGLES TOLERANCE: ± 1°	APPROVED: I. MYONG	DATE: 06/11/2015	TITLE: SPIN-LOCK ADAPTER ORDERING INFORMATION				
	MATERIAL: SEE NOTES	FINISH: SEE NOTES					
SCALE: DO NOT SCALE THIS DRAWING	CAD FILE: CH00-0250-019.dwg	THIRD ANGLE PROJECTION: 	SIZE: A	SHEET: 1 OF 4	CAGE CODE: 06090	DRAWING NO: CH00-0250-019	REV. B

PART NUMBERING SYSTEM
SPIN-LOCK WITH MOLDED PARTS STRAIN RELIEF

MOLDED BOOT VERSION

SLM 40 AB - 1610 A - 3/42 - 0

Color
SEE 245W0XX

Adhesive
SEE 245W0XX

Molded Part Material
SEE 245W0XX

Ring Designator
SEE CH00-0250-019 SHEET 4

Entry Size
SEE DRAWING SLM***

Order Number
SEE DRAWING SLM***

Plating
SEE CH00-0250-019 SHEET 4

Material
SEE CH00-0250-019 SHEET 4

Connector code number
SEE DRAWING SLM***

Strain relief method
SEE CH00-0250-019 SHEET 4

If this document is printed it becomes uncontrolled. Check for the latest revision

Raychem Adapters
PRODUCTION SPECIFICATION



DO NOT
SCALE THIS
DRAWING

SIZE
A

CAGE
06090

SHEET
2 OF 4


DWG. NO.

CH00-0250-019


REV
B

BODY ONLY


SLX 40 AB - 1610 - BODY

CLAMP ONLY

SLC AB - 16

Raychem Adapters
PRODUCTION SPECIFICATION

If this document is printed it becomes uncontrolled. Check for the latest revision

	DO NOT SCALE THIS DRAWING	SIZE	CAGE	SHEET	DWG. NO.	REV
		A	06090	3 OF 4	CH00-0250-019	B

STRAIN RELIEF METHOD

M = Molded Part

C = Clamp Strain Relief

MATERIAL

A = Aluminum Alloy

S = Stainless Steel (Call TE Product Management for availability)

PLATING

B = Cadmium olive drab to SAE-AMS-PQ-P-146

C = Electroless Nickel to SAE-AMS-26074 Class 3 or 4, Grade A

J = Passivated Per SAE-AMS-QQ-P-35 or MIL-S-5002
(Call TE Product Management for availability)

Z = Zinc Nickel, Black to ASTM BB41 Grade 1, Type D

RING DESIGNATOR

A = AI

B = BI


C = CI

D = Band Strap (Call TE Product Management for availability)

LEAVE BLANK FOR NO BAND OR TINEL-LOCK™ RING

Raychem Adapters
PRODUCTION SPECIFICATION

If this document is printed it becomes uncontrolled. Check for the latest revision

	DO NOT SCALE THIS DRAWING	SIZE	CAGE	SHEET	DWG. NO.	REV
		A	06090	4 OF 4	CH00-0250-019	B