



SHELL SIZE	ϕA MAX	B MAX	C MAX
8	17.70	33.50	15.0
10	20.80	33.50	15.0
12	25.20	33.50	15.0
14	28.40	33.50	15.0

NOTES;-

1. BATCH No. & PART No. BREAKDOWN.
DEUTSCH ASDD6**-*P/S* RP654321

SERIES

SHELL STYLE

BATCH NUMBER EXAMPLE
KEYWAY ORIENTATION
P=PIN OR S=SOCKET
ARRANGEMENT

MATERIAL

© THE COPYRIGHT OF THIS DRAWING IS RESERVED BY DEUTSCH LTD. IT IS ISSUED ON CONDITION THAT IT IS NOT COPIED, REPRODUCED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE CONSENT IN WRITING OF DEUTSCH LTD.

GENERAL TOLERANCES UNLESS OTHERWISE STATED.

$\pm 0.4\text{mm}$ ON WHOLE NUMBERS
 $\pm 0.2\text{mm}$ ON ONE PLACE DECIMALS
 $\pm 0.1\text{mm}$ ON TWO PLACE DECIMALS
 $\pm 1/2^\circ$ ON ANGLES
 $\pm 0.05\text{mm}$ ON DRILLED HOLES

REMOVE ALL BURRS AND SHARP EDGES 0.1 MAX. UNLESS OTHERWISE STATED.



DEUTSCH

LTD

EAST GRINSTEAD, WEST SUSSEX, RH19 1RW TEL:- (01342) 410033

TITLE

ASDD PLUG
ENVELOPE DETAILS

DRAWING NUMBER

610134-ENV

ISSUE	CHANGE NOTE	DRAWN	CHECKED	APP. ENG.	DATE
A	53595	NDL	KJF	KJF	10.01.07

APP. BUS. UNIT

IKG

SCALE

N.T.S.

DIMS. IN MILLIMETRES