Form Type	Distribute	Version	2.0	Ref	IPC 1752A	Sectionals	Material Info	Subsectionals	D, A

Supplier Information

Company Name	TE Connectivity	Request Document ID		Contact Name	Penica, John R	Contact Title	Sr Mgr Engineering, IND Central Eng
Company Unique ID	TE Connectivity	Response Date	2018-04-18	Contact Email	jrpenica@te.com		
Contact Phone Number		+1-717-592-3266					

Legal Statement

Supplier Acceptance	true

Legal Statement

The information provided in this document is based upon reasonable inquiry of our suppliers. This information is subject to change. This information does not in any way modify existing purchase specifications or existing contractual or other agreements terms between TE Connectivity (or its affiliated companies) and its customers.

Product

Manufacturer Item number	2-6609122-2	Amount	56366.06382967	Version	-	Identity	
Manufacturer Item Name	6EDL1SM M0=F7368L	Weight Uom	mg	Mfr Site		Authority	
Date		UOM	Each				
EURoHS-0508	Product(s) meets EU RoHS requirement without any exemptions						
ChinaRoHS-0508	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products						
EUREACH-0117	REACH Candidate Substances of Very High Concern ARE NOT Contained in the Product Above the Limits per the Definition within REACH						
Complex Article Description	REACH Candidate Substances of Very High Concern according to Once an Article Always an Article are Not Yet Reviewed						

Product Disclosure

Sub-Item/Material/Substance	Level	Name	Substance Category	Substance CAS	Substance Concentration	Quantity	Mass per Unit	UOM	Exemption
Sub-Item	1	950894LX=LF SLDR,WS,SAC				1.0	400.0	mg	
Material	2	Solder				1.0	400.0	mg	
Substance	3	Silver	Supplier	7440-22-4	3.0	1.0	12.0	mg	
Substance	3	Tin	Supplier	7440-31-5	96.5	1.0	386.0	mg	
Substance	3	Copper	Supplier	7440-50-8	0.5	1.0	2.0	mg	
Sub-Item	1	262814FO=SWITCH,DPST				1.0	5044.0	mg	
Material	2	Springs				1.0	120.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	1.19	1.0	1.428	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.4	1.0	0.48	mg	
Substance	3	Iron	Supplier	7439-89-6	98.41	1.0	118.092	mg	
Material	2	Housing				1.0	2042.0	mg	
Substance	3	Bromide	Supplier	24959-67-9	0.1	1.0	2.042	mg	
Substance	3	Carbon black	Supplier	1333-86-4	0.2	1.0	4.084	mg	
Substance	3	Azacyclotridecan-2-one, homopolymer	Supplier	25038-74-8	99.7	1.0	2035.874	mg	
Material	2	Brackets				1.0	1576.0	mg	
Substance	3	Zinc	Supplier	7440-66-6	30.0	1.0	472.8	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	1103.2	mg	
Material	2	Rocker Button				1.0	546.0	mg	
Substance	3	Carbon black	Supplier	1333-86-4	0.2	1.0	1.092	mg	
Substance	3	Hexanedioic acid, polymer with 1,4-butanediol, 2,2-dimethyl-1,3-propanediol, 1,6-hexanediol and 1,1-methylenebis[4-isocyanatobenzene]	Supplier	27417-33-0	99.5	1.0	543.27	mg	
Substance	3	Bromide	Supplier	24959-67-9	0.3	1.0	1.638	mg	
Material	2	Balls				1.0	129.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.8	1.0	1.032	mg	
Substance	3	Iron	Supplier	7439-89-6	98.8	1.0	127.452	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.4	1.0	0.516	mg	

Material	2	Blades				1.0	562.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.16	1.0	0.8992	mg	
Substance	3	Silver	Supplier	7440-22-4	1.94	1.0	10.9028	mg	
Substance	3	Copper	Supplier	7440-50-8	69.7	1.0	391.714	mg	
Substance	3	Zinc	Supplier	7440-66-6	28.2	1.0	158.484	mg	
Material	2	Grease				1.0	69.0	mg	
Substance	3	1-Decene, homopolymer, hydrogenated	Supplier	68037-01-4	80.0	1.0	55.2	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	20.0	1.0	13.8	mg	
Sub-Item	1	101922AC=CORE,TOROID (10K				1.0	1972.0	mg	
Material	2	Coating				1.0	19.72	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	100.0	1.0	19.72	mg	
Material	2	Ferrite				1.0	1952.28	mg	
Substance	3	Manganese oxide (Mn3O4)	Supplier	1317-35-7	18.18	1.0	354.9245	mg	
Substance	3	Zinc oxide (ZnO)	Supplier	1314-13-2	12.12	1.0	236.61634	mg	
Substance	3	Iron oxide (Fe2O3)	Supplier	1309-37-1	69.7	1.0	1360.73916	mg	
Sub-Item	1	152377LC=CAPACITOR,2800PF,2-LD				2.0	890.0	mg	
Material	2	Ceramic Disc Capacitor				2.0	890.0	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	61.6	2.0	548.24	mg	
Substance	3	Bromide	Supplier	24959-67-9	3.4	2.0	30.26	mg	
Substance	3	Copper	Supplier	7440-50-8	12.0	2.0	106.8	mg	
Substance	3	Silica, vitreous	Supplier	60676-86-0	22.0	2.0	195.8	mg	
Substance	3	Tin	Supplier	7440-31-5	1.0	2.0	8.9	mg	
Sub-Item	1	604064AO=TERMINAL,OUTPUT,				1.0	318.0	mg	
Material	2	Output Terminal				1.0	318.0	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.159	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.35	1.0	93.333	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.159	mg	
Substance	3	Copper	Supplier	7440-50-8	69.3	1.0	220.374	mg	
Substance	3	Tin	Supplier	7440-31-5	1.0	1.0	3.18	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	0.636	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.159	mg	
Sub-Item	1	812694AO=FUSE HOLDER,EURO				1.0	1494.0	mg	
Material	2	Euro Fuse Holder				1.0	1494.0	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	14.94	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	2.0	1.0	29.88	mg	
Substance	3	Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	Supplier	32131-17-2	72.0	1.0	1075.68	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	25.0	1.0	373.5	mg	
Sub-Item	1	154378LA=CAPACITOR,FILM,0.047U				1.0	1334.0	mg	
Material	2	Metalized Film				1.0	5.7362	mg	
Substance	3	Aluminum	Supplier	7429-90-5	93.0	1.0	5.33467	mg	
Substance	3	Zinc	Supplier	7440-66-6	7.0	1.0	0.40153	mg	

Material	2	Case				1.0	441.6874	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4-(1-methylethylidene)bis[phenol]	Brominated Flame Retardants (other than PBBs or PBDEs)	32844-27-2	11.5	1.0	50.79405	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	88.5	1.0	390.89335	mg	
Material	2	Wire Leads-Plating				1.0	17.342	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	17.342	mg	
Material	2	Wire Leads				1.0	270.9354	mg	
Substance	3	Iron	Supplier	7439-89-6	79.8	1.0	216.20645	mg	
Substance	3	Copper	Supplier	7440-50-8	19.2	1.0	52.0196	mg	
Substance	3	Nickel	Nickel	7440-02-0	1.0	1.0	2.70935	mg	
Material	2	Dielectric Film				1.0	375.6544	mg	
Substance	3	1-Propene, homopolymer	Supplier	9003-07-0	100.0	1.0	375.6544	mg	
Material	2	Encapsulant				1.0	222.6446	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	100.0	1.0	222.6446	mg	
Sub-Item	1	752665AB=CAN/BRACKET ASSY				1.0	10293.0	mg	
Material	2	Bracket Assy				1.0	10293.0	mg	
Substance	3	Iron	Supplier	7439-89-6	98.764	1.0	10165.77852	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.5	1.0	51.465	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.049	1.0	5.04357	mg	
Substance	3	Sulfur	Supplier	7704-34-9	0.019	1.0	1.95567	mg	
Substance	3	Silicon	Supplier	7440-21-3	0.09	1.0	9.2637	mg	
Substance	3	Aluminum	Supplier	7429-90-5	0.044	1.0	4.52892	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.034	1.0	3.49962	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.5	1.0	51.465	mg	
Sub-Item	1	560016PA=SLEEVING,PVC, 16				1.0	220.6	mg	
Material	2	PVC Sleeving				1.0	220.6	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	4.412	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	2.5	1.0	5.515	mg	
Substance	3	Limestone	Supplier	1317-65-3	10.5	1.0	23.163	mg	
Substance	3	1,2-Benzenedicarboxylic acid, 1,2-diundecyl ester	Supplier	3648-20-2	6.5	1.0	14.339	mg	
Substance	3	Ethene, chloro-, homopolymer	Supplier	9002-86-2	58.0	1.0	127.948	mg	
Substance	3	1,2,4-Benzenetricarboxylic acid, 1,2,4-triisononyl ester	Supplier	53894-23-8	20.5	1.0	45.223	mg	
Sub-Item	1	722686AO=CARRIER				1.0	36.0	mg	
Material	2	Carrier				1.0	36.0	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	3.0	1.0	1.08	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-0217	5.0	1.0	1.8	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	0.72	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	65.0	1.0	23.4	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	15.0	1.0	5.4	mg	

Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol], bis(2,4,6-tribromophenyl) ester	Brominated Flame Retardants (other than PBBs or PBDEs)	71342-77-3	10.0	1.0	3.6	mg	
Sub-Item	1	853129HO=COMPUTER GENERA				1.0	75.0	mg	
Material	2	Label				1.0	75.0	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	70.0	1.0	52.5	mg	
Substance	3	Acetic acid ethyl ester	Supplier	141-78-6	10.0	1.0	7.5	mg	
Substance	3	Benzene, methyl-	Supplier	108-88-3	4.8	1.0	3.6	mg	
Substance	3	Decanoic acid, mixed esters with dipentaerythritol and octanoic acid	Supplier	71662-47-0	0.2	1.0	0.15	mg	
Substance	3	Heptane	Supplier	142-82-5	4.0	1.0	3.0	mg	
Substance	3	2-Propanol	Supplier	67-63-0	2.0	1.0	1.5	mg	
Substance	3	Sulfuric acid, barium salt (1:1)	Supplier	7727-43-7	4.0	1.0	3.0	mg	
Substance	3	2-Propenoic acid, homopolymer	Supplier	9003-01-4	5.0	1.0	3.75	mg	
Sub-Item	1	Copper Round				1.0	464.93217925	mg	
Material	2	Wire_Sn_Plating				1.0	18.59728717	mg	
Substance	3	Carbon	Supplier	7440-44-0	1.0	1.0	0.18597	mg	
Substance	3	Tin	Supplier	7440-31-5	99.0	1.0	18.41131	mg	
Material	2	Wire_Cu				1.0	446.33489208	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	446.33489	mg	
Sub-Item	1	724065AO=INSULATOR,EDL				1.0	974.0	mg	
Material	2	EDL Insulator				1.0	974.0	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	3.0	1.0	29.22	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	19.48	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-0217	5.0	1.0	48.7	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	15.0	1.0	146.1	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	65.0	1.0	633.1	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol], bis(2,4,6-tribromophenyl) ester	Brominated Flame Retardants (other than PBBs or PBDEs)	71342-77-3	10.0	1.0	97.4	mg	
Sub-Item	1	981791BO=CONTACT,CEMENT #				1.0	481.94189313	mg	
Material	2	Adhesive				1.0	481.94189313	mg	
Substance	3	2-Propenoic acid, 2-cyano-, ethyl ester	Supplier	7085-85-0	100.0	1.0	481.94189	mg	
Sub-Item	1	602689AO=TERMINAL,GROUND				1.0	1583.0	mg	
Material	2	Ground Terminal				1.0	1583.0	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.5	1.0	7.915	mg	
Substance	3	Aluminum	Supplier	7429-90-5	0.044	1.0	0.69652	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.034	1.0	0.53822	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.049	1.0	0.77567	mg	
Substance	3	Silicon	Supplier	7440-21-3	0.09	1.0	1.4247	mg	

Substance	3	Iron	Supplier	7439-89-6	98.764	1.0	1563.43412	mg	
Substance	3	Sulfur	Supplier	7704-34-9	0.019	1.0	0.30077	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.5	1.0	7.915	mg	
Sub-Item	1	Copper Round				1.0	2853.0960073	mg	
Material	2	Mag Wire				1.0	2853.0960073	mg	
Substance	3	Azacyclotridecan-2-one, homopolymer	Supplier	25038-74-8	0.75	1.0	21.39822	mg	
Substance	3	Tin	Supplier	7440-31-5	0.5	1.0	14.26548	mg	
Substance	3	1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid, 1,4-butanediol and hexanedioic acid	Supplier	66027-02-9	0.75	1.0	21.39822	mg	
Substance	3	Copper	Supplier	7440-50-8	98.0	1.0	2796.03409	mg	
Sub-Item	1	200393LD=RESISTOR,FIXED FILM				1.0	320.0	mg	
Material	2	Epoxy Resin				1.0	35.0	mg	
Substance	3	Oxirane, 2,2-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer	Supplier	25085-99-8	49.0	1.0	17.15	mg	
Substance	3	copper phthalocyanine, chlorinated	Supplier	1328-53-5	20.4	1.0	7.14	mg	
Substance	3	Carbonic acid calcium salt (1:1)	Supplier	471-34-1	5.2	1.0	1.82	mg	
Substance	3	Titanium oxide (TiO2)	Supplier	13463-67-7	25.4	1.0	8.89	mg	
Material	2	Coating				1.0	19.0	mg	
Substance	3	Phenols (petroleum)	Supplier	64743-03-9	100.0	1.0	19.0	mg	
Material	2	Epoxy Paint				1.0	5.0	mg	
Substance	3	copper phthalocyanine, chlorinated	Supplier	1328-53-5	25.0	1.0	1.25	mg	
Substance	3	Oxirane, 2,2-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer	Supplier	25085-99-8	75.0	1.0	3.75	mg	
Material	2	Wire lead Plating				1.0	11.0	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	11.0	mg	
Material	2	Ceramic Core				1.0	125.0	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	21.57	1.0	26.9625	mg	
Substance	3	Aluminum oxide (Al2O3)	Supplier	1344-28-1	72.55	1.0	90.6875	mg	
Substance	3	Barium oxide (BaO)	Supplier	1304-28-5	5.88	1.0	7.35	mg	
Material	2	Wire lead				1.0	61.0	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	61.0	mg	
Material	2	Resistance Film				1.0	32.0	mg	
Substance	3	Silicon	Supplier	7440-21-3	35.0	1.0	11.2	mg	
Substance	3	Carbon	Supplier	7440-44-0	65.0	1.0	20.8	mg	
Material	2	End cap				1.0	32.0	mg	
Substance	3	Tin	Supplier	7440-31-5	10.0	1.0	3.2	mg	
Substance	3	Iron	Supplier	7439-89-6	78.0	1.0	24.96	mg	
Substance	3	Copper	Supplier	7440-50-8	12.0	1.0	3.84	mg	
Sub-Item	1	552859BO=INSULATOR,NOMEX				1.0	171.0	mg	
Material	2	Nomex Insulator				1.0	171.0	mg	
Substance	3	1,3-Benzenedicarbonyl dichloride, polymer with 1,3-benzenediamine	Supplier	25765-47-3	96.5	1.0	165.015	mg	
Substance	3	Water	Supplier	7732-18-5	3.2	1.0	5.472	mg	
Substance	3	Acetamide, N,N-dimethyl-	Acetamide, N,N-dimethyl-	127-19-5	0.3	1.0	0.513	mg	

Sub-Item	1	550877BP=TAPE,MYLAR,YEL,				1.0	83.49375	mg	
Material	2	Rubber adhesive				1.0	42.58125	mg	
Substance	3	1,3-Butadiene, 2-chloro-, homopolymer	Supplier	9010-98-4	17.647	1.0	7.51431	mg	
Substance	3	Hexane	Supplier	110-54-3	11.7647	1.0	5.00956	mg	
Substance	3	Benzene, methyl-	Supplier	108-88-3	11.7647	1.0	5.00956	mg	
Substance	3	Naphtha (petroleum), solvent-refined light	Supplier	64741-84-0	29.4118	1.0	12.52391	mg	
Substance	3	2-Butanone	Supplier	78-93-3	29.4118	1.0	12.52391	mg	
Material	2	Unfilled Thermoplastic				1.0	33.39375	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	100.0	1.0	33.39375	mg	
Material	2	Film colorant				1.0	7.51875	mg	
Substance	3	Phenol, polymer with formaldehyde, magnesium oxide complex	Supplier	68611-24-5	100.0	1.0	7.51875	mg	
Sub-Item	1	602744CO=CONNECTOR,HOUSIN				1.0	26150.0	mg	
Material	2	Ground Terminal Plating				1.0	11.9	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	11.9	mg	
Material	2	Load Terminals plating				1.0	33.58	mg	
Substance	3	Silver	Supplier	7440-22-4	100.0	1.0	33.58	mg	
Material	2	Ground Terminal				1.0	1178.1	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505	1.0	0.59494	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6465	1.0	349.26542	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	824.67	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505	1.0	0.59494	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.202	1.0	2.37976	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505	1.0	0.59494	mg	
Material	2	Connector Housing-Door				1.0	2774.0	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	2.0	1.0	55.48	mg	
Substance	3	Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	Supplier	32131-17-2	72.0	1.0	1997.28	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	25.0	1.0	693.5	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	27.74	mg	
Material	2	Load Terminals				1.0	3324.42	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505	1.0	1.67883	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.202	1.0	6.71533	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6465	1.0	985.57418	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505	1.0	1.67883	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	2327.094	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505	1.0	1.67883	mg	
Material	2	IEC Line Terminals				1.0	1980.0	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505	1.0	0.9999	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	1386.0	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505	1.0	0.9999	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6465	1.0	587.0007	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.202	1.0	3.9996	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505	1.0	0.9999	mg	
Material	2	Voltage Sel Contacts				1.0	1651.0	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.55	1.0	487.8705	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	1155.7	mg	
Substance	3	Tin	Supplier	7440-31-5	0.2	1.0	3.302	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.8255	mg	

Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	3.302	mg	
Material	2	Flange Housing				1.0	15177.0	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	25.0	1.0	3794.25	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	2.0	1.0	303.54	mg	
Substance	3	Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	Supplier	32131-17-2	72.0	1.0	10927.44	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	151.77	mg	
Material	2	IEC Line Terminals plating				1.0	20.0	mg	
Substance	3	Silver	Supplier	7440-22-4	100.0	1.0	20.0	mg	
Sub-Item	1	604064BO=TERMINAL,OUTPUT,				1.0	318.0	mg	
Material	2	Output Terminal				1.0	318.0	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.159	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.35	1.0	93.333	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.159	mg	
Substance	3	Copper	Supplier	7440-50-8	69.3	1.0	220.374	mg	
Substance	3	Tin	Supplier	7440-31-5	1.0	1.0	3.18	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	0.636	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.159	mg	