Form Type	Distribute	Version	2.0	Ref	IPC 1752A	Sectionals	Material Info	Subsectionals	D, A

Supplier Information

Company Name	TE Connectivity	Request Document ID		Contact Name	John R. Penica	Contact Title	Manager Environmental Engineering
Company Unique ID	TE Connectivity	Response Date	2015-02-16	Contact Email	jrpenica@te.com		
Contact Phone Number		717-592-3266					

Legal Statement

Supplier Acceptance	true

Legal Statement

The information provided in this document is based upon reasonable inquiry of our suppliers. This information is subject to change. This information does not in any way modify existing purchase specifications or existing contractual or other agreements terms between TE Connectivity (or its affiliated companies) and its customers.

Product

Manufacturer Item number	6609008-4	Amount	36605.615423	Version	-	Identity	
Manufacturer Item Name	10EJH1=F8047 S0	Weight Uom	mg	Mfr Site		Authority	
Date		UOM	Each				
EURoHS-0508	Product(s) meets EU RoHS requirement without any exemptions						
ChinaRoHS-0508	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products						
EUREACH-1213	REACH Candidate Substances of Very High Concern ARE NOT Contained in the Product Above the Limits per the Definition within REACH						

Product Disclosure

Sub-Item/Material/ Substance	Level	Name	Substance Category	Substance CAS	Substance Concentration	Quantity	Mass per Unit	UOM	Exemption
Sub-Item	1	601299LK=TERMINAL,6.3MM DIN				2.0	658.0	mg	
Material	2	TERMINALS				2.0	650.104	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.706	2.0	193.11989	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.051	2.0	0.33155	mg	
Substance	3	Iron	Supplier	7439-89-6	0.051	2.0	0.33155	mg	
Substance	3	Copper	Supplier	7440-50-8	70.142	2.0	455.99595	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	2.0	0.32505	mg	
Material	2	TIN PLATING				2.0	6.58	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	2.0	6.58	mg	
Material	2	NICKEL PLATING				2.0	1.316	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	2.0	1.316	mg	
Sub-Item	1	154378LB=CAPACITOR,FILM,0.1UF				1.0	1577.0	mg	
Material	2	Film Capacitor				1.0	1577.0	mg	
Substance	3	Copper	Supplier	7440-50-8	3.9	1.0	61.503	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	29.3	1.0	462.061	mg	
Substance	3	Iron	Supplier	7439-89-6	16.21	1.0	255.6317	mg	
Substance	3	Tin	Supplier	7440-31-5	1.3	1.0	20.501	mg	
Substance	3	Zinc	Supplier	7440-66-6	0.03	1.0	0.4731	mg	
Substance	3	1-Propene, homopolymer	Supplier	9003-07-0	28.16	1.0	444.0832	mg	
Substance	3	Aluminum	Supplier	7429-90-5	0.4	1.0	6.308	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	16.69	1.0	263.2013	mg	

Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4-(1-methylethylidene)bis[phenol]	Brominated Flame Retardants (other than PBBs or PBDEs)	32844-27-2	3.81	1.0	60.0837	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	3.154	mg	
Sub-Item	1	551779OO=MYLAR,SHEET				1.0	56.0	mg	
Material	2	Thermoplastic				1.0	56.0	mg	
Substance	3	Titanium oxide (TiO2)	Supplier	13463-67-7	1.0	1.0	0.56	mg	
Substance	3	1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid and 1,2-ethanediol	Supplier	24938-04-3	5.0	1.0	2.8	mg	
Substance	3	1-Propene, homopolymer	Supplier	9003-07-0	4.0	1.0	2.24	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	90.0	1.0	50.4	mg	
Sub-Item	1	723203AO=PLATE,BOTTOM,PLA				1.0	1349.0	mg	
Material	2	Bottom Plate				1.0	1349.0	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	4.0	1.0	53.96	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	55.0	1.0	741.95	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	29.0	1.0	391.21	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	26.98	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol], bis(2,4,6-tribromophenyl) ester	Brominated Flame Retardants (other than PBBs or PBDEs)	71342-77-3	10.0	1.0	134.9	mg	
Sub-Item	1	550877BH=TAPE,MYLAR,YEL,				1.0	104.0	mg	
Material	2	Mylar Tape				1.0	104.0	mg	
Substance	3	Hexane	Supplier	110-54-3	6.0	1.0	6.24	mg	
Substance	3	Naphtha (petroleum), solvent-refined light	Supplier	64741-84-0	15.0	1.0	15.6	mg	
Substance	3	Phenol, polymer with formaldehyde, magnesium oxide complex	Supplier	68611-24-5	9.0	1.0	9.36	mg	
Substance	3	1,3-Butadiene, 2-chloro-, homopolymer	Supplier	9010-98-4	9.0	1.0	9.36	mg	
Substance	3	Benzene, methyl-	Supplier	108-88-3	6.0	1.0	6.24	mg	
Substance	3	2-Butanone	Supplier	78-93-3	15.0	1.0	15.6	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	40.0	1.0	41.6	mg	
Sub-Item	1	200393LD=RESISTOR,FIXED FILM				1.0	320.0	mg	
Material	2	Electronic component				1.0	182.4	mg	
Substance	3	Iron	Supplier	7439-89-6	43.86	1.0	80.00064	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	10.52	1.0	19.18848	mg	
Substance	3	Tin oxide (SnO2)	Supplier	18282-10-5	1.754	1.0	3.1993	mg	
Substance	3	Barium oxide (BaO)	Supplier	1304-28-5	3.5	1.0	6.384	mg	

Substance	3	Aluminum oxide (Al2O3)	Supplier	1344-28-1	33.34	1.0	60.81216	mg	
Substance	3	Siloxanes and Silicones, di-Me, Me vinyl	Supplier	67762-94-1	7.026	1.0	12.81542	mg	
Material	2	Wire Plating				1.0	3.2	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	3.2	mg	
Material	2	Wire lead				1.0	134.4	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	134.4	mg	
Sub-Item	1	452585CO=EYELET, SE45 (NI				2.0	102.5021	mg	
Material	2	BRASS				2.0	102.5	mg	
Substance	3	Zinc	Supplier	7440-66-6	30.38	2.0	31.1395	mg	
Substance	3	Iron	Supplier	7439-89-6	0.01	2.0	0.01025	mg	
Substance	3	Tin	Supplier	7440-31-5	0.0030	2.0	0.003075	mg	
Substance	3	Copper	Supplier	7440-50-8	69.603	2.0	71.34307	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0040	2.0	0.0041	mg	
Material	2	NICKEL PLATING				2.0	0.0021	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	2.0	0.0021	mg	
Sub-Item	1	950894LX=LF SLDR,WS,SAC				1.0	400.0	mg	
Material	2	SOLDER				1.0	400.0	mg	
Substance	3	Tin	Supplier	7440-31-5	96.5	1.0	386.0	mg	
Substance	3	Copper	Supplier	7440-50-8	0.5	1.0	2.0	mg	
Substance	3	Silver	Supplier	7440-22-4	3.0	1.0	12.0	mg	
Sub-Item	1	853129AO=COMPUTER.GENERAT				1.0	106.0	mg	
Material	2	Label				1.0	106.0	mg	
Substance	3	Acetic acid ethyl ester	Supplier	141-78-6	10.0	1.0	10.6	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	70.0	1.0	74.2	mg	
Substance	3	Benzene, methyl-	Supplier	108-88-3	4.8	1.0	5.088	mg	
Substance	3	Decanoic acid, mixed esters with dipentaerythritol and octanoic acid	Supplier	71662-47-0	0.2	1.0	0.212	mg	
Substance	3	2-Propanol	Supplier	67-63-0	2.0	1.0	2.12	mg	
Substance	3	Heptane	Supplier	142-82-5	4.0	1.0	4.24	mg	
Substance	3	Sulfuric acid, barium salt (1:1)	Supplier	7727-43-7	4.0	1.0	4.24	mg	
Substance	3	2-Propenoic acid, homopolymer	Supplier	9003-01-4	5.0	1.0	5.3	mg	
Sub-Item	1	603797AB=SOCKET ,IEC				1.0	9765.0	mg	
Material	2	IEC Socket terminal				1.0	3666.468	mg	
Substance	3	Iron	Supplier	7439-89-6	0.051	1.0	1.8699	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.051	1.0	1.8699	mg	
Substance	3	Copper	Supplier	7440-50-8	70.141	1.0	2571.69732	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.706	1.0	1089.16098	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.051	1.0	1.8699	mg	
Material	2	IEC Socket Terminal Plating				1.0	44.532	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	1.0	44.532	mg	
Material	2	IEC Socket				1.0	6054.0	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	30.0	1.0	1816.2	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	121.08	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	60.0	1.0	3632.4	mg	

Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4-(1-methylethylidene)bis[phenol]	Brominated Flame Retardants (other than PBBs or PBDEs)	32844-27-2	8.0	1.0	484.32	mg	
Sub-Item	1	101922AC=CORE,TOROID (10K				1.0	1972.0	mg	
Material	2	TOROID CORE				1.0	1972.0	mg	
Substance	3	Manganese oxide (Mn3O4)	Supplier	1317-35-7	18.0	1.0	354.96	mg	
Substance	3	Iron oxide (Fe2O3)	Supplier	1309-37-1	69.0	1.0	1360.68	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	1.0	1.0	19.72	mg	
Substance	3	Zinc oxide (ZnO)	Supplier	1314-13-2	12.0	1.0	236.64	mg	
Sub-Item	1	384489AO=JACKET,PLATED				1.0	12063.0	mg	
Material	2	Plated Jacket-Ni plating				1.0	60.315	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	1.0	60.315	mg	
Material	2	Plated Jacket-Base Material				1.0	12002.685	mg	
Substance	3	Sulfur	Supplier	7704-34-9	0.0191	1.0	2.29251	mg	
Substance	3	Iron	Supplier	7439-89-6	99.2603	1.0	11913.90114	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.5025	1.0	60.31349	mg	
Substance	3	Aluminum	Supplier	7429-90-5	0.0442	1.0	5.30519	mg	
Substance	3	Silicon	Supplier	7440-21-3	0.0905	1.0	10.86243	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.0342	1.0	4.10492	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.0492	1.0	5.90532	mg	
Sub-Item	1	452600LC=WASHER,STEEL				2.0	92.0	mg	
Material	2	Steel washer				2.0	91.54	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.187	2.0	0.17118	mg	
Substance	3	Manganese	Supplier	7439-96-5	1.106	2.0	1.01243	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.161	2.0	0.14738	mg	
Substance	3	Iron	Supplier	7439-89-6	98.542	2.0	90.20535	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0040	2.0	0.0036616	mg	
Material	2	Zinc Plating				2.0	0.368	mg	
Substance	3	Zinc	Supplier	7440-66-6	100.0	2.0	0.368	mg	
Material	2	Trivalent Chromium Plating				2.0	0.092	mg	
Substance	3	Chromium	Supplier	7440-47-3	100.0	2.0	0.092	mg	
Sub-Item	1	561423KO=TUBING,SHRINK,1				1.0	942.611223	mg	
Material	2	Shrink Tubing				1.0	942.611223	mg	
Substance	3	Boron zinc hydroxide oxide (B12Zn4(OH)14O15)	Supplier	138265-88-0	6.0	1.0	56.55667	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	5.0	1.0	47.13056	mg	
Substance	3	2-Propenoic acid, methyl ester, polymer with ethene	Supplier	25103-74-6	52.0	1.0	490.15784	mg	
Substance	3	Magnesium hydroxide (Mg(OH)2)	Supplier	1309-42-8	16.0	1.0	150.8178	mg	
Substance	3	Benzene, 1,1-(1,2-ethanediyl)bis[2,3,4,5,6-pentabromo-	Brominated Flame Retardants (other than PBBs or PBDEs)	84852-53-9	21.0	1.0	197.94836	mg	
Sub-Item	1	603202AO=STRAP, GROUND				1.0	1342.0	mg	

Material	2	Ground Strap (Cartridge Brass)				1.0	1328.58	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6464646464646	1.0	393.877	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505050505050505	1.0	0.671	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	930.006	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505050505050505	1.0	0.671	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505050505050505	1.0	0.671	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2020202020202020	1.0	2.684	mg	
Material	2	Ground Strap (Plating)				1.0	13.42	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	1.0	13.42	mg	
Sub-Item	1	551597OO=LEXAN,SHEET				1.0	11.0	mg	
Material	2	LEXAN SHEET				1.0	11.0	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[phenol], 4-(1-methyl-1-phenylethyl)phenyl ester	Supplier	111211-39-3	35.0	1.0	3.85	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	5.0	1.0	0.55	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4-(1-methylethylidene)bis[phenol], 4-(1-methyl-1-phenylethyl)phenyl ester	Supplier	156042-31-8	60.0	1.0	6.6	mg	
Sub-Item	1	1001616-10 ANL .0403IN DIA K				1.0	4893.0	mg	
Material	2	Magnet Wire_Tin Plating				1.0	24.465	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	24.465	mg	
Material	2	Magnet Wire_Polyamide Thermoplastic				1.0	73.395	mg	
Substance	3	1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid, 1,4-butanediol and hexanedioic acid	Supplier	66027-02-9	50.0	1.0	36.6975	mg	
Substance	3	Azacyclotridecan-2-one, homopolymer	Supplier	25038-74-8	50.0	1.0	36.6975	mg	
Material	2	Magnet Wire_Copper				1.0	4795.14	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	4795.14	mg	