Form Type	Distribute	Version	2.0	Ref	IPC 1752A	Sectionals	Material Info	Subsectionals	D, A

Supplier Information							
Company Name	TE Connectivity	**Request Document ID**		**Contact Name**	John R. Penica	**Contact Title**	Manager Environmental Engineering
Company Unique ID	TE Connectivity	**Response Date**	2015-06-22	**Contact Email**	jrpenica@te.com		
Contact Phone Number		717-592-3266					

Legal Statement	
Supplier Acceptance	true

Legal Statement

The information provided in this document is based upon reasonable inquiry of our suppliers. This information is subject to change. This information does not in any way modify existing purchase specifications or existing contractual or other agreements terms between TE Connectivity (or its affiliated companies) and its customers.

Product							
Manufacturer Item number	6609941-6	**Amount**	98447.9806147	**Version**	-	**Identity**	
Manufacturer Item Name	PM0S0SS3B=C3420	**Weight Uom**	mg	**Mfr Site**		**Authority**	
Date		**UOM**	Each				
EURoHS-0508	Product(s) meets EU RoHS requirement without any exemptions						
ChinaRoHS-0508	Product(s) is eligible for marking with the e code under China's Measures for Administration of the control of pollution by Electronic Information Products						
EUREACH-1214	REACH Candidate Substances of Very High Concern ARE NOT Yet Reviewed						

Product Disclosure

Sub-Item/Material/Substance	Level	Name	Substance Category	Substance CAS	Substance Concentration	Quantity	Mass per Unit	UOM	Exemption
Sub-Item	1	152116LC=CAP,CERAMIC,3000PF				2.0	882.0	mg	
Material	2	Ceramic Disc Cap				2.0	882.0	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	61.6	2.0	543.312	mg	
Substance	3	Bromide	Supplier	24959-67-9	3.4	2.0	29.988	mg	
Substance	3	Copper	Supplier	7440-50-8	12.0	2.0	105.84	mg	
Substance	3	Tin	Supplier	7440-31-5	1.0	2.0	8.82	mg	
Substance	3	Silica, vitreous	Supplier	60676-86-0	22.0	2.0	194.04	mg	
Sub-Item	1	604088BO=FUSE CONTACT,RND				1.0	970.0	mg	
Material	2	Plating				1.0	9.7	mg	
Substance	3	Tin	Supplier	7440-31-5	99.0	1.0	9.603	mg	
Substance	3	Carbon	Supplier	7440-44-0	1.0	1.0	0.097	mg	
Material	2	Cartridge Brass				1.0	960.3	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505050505050505	1.0	0.485	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6464646464646	1.0	284.695	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	672.21	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505050505050505	1.0	0.485	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505050505050505	1.0	0.485	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2020202020202020	1.0	1.94	mg	
Sub-Item	1	604090AO=RNB,LEAF SPRING				2.0	162.0	mg	
Material	2	Stainless Steel				2.0	162.0	mg	
Substance	3	Silicon	Supplier	7440-21-3	1.5	2.0	2.43	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.05	2.0	0.081	mg	
Substance	3	Manganese	Supplier	7439-96-5	2.0	2.0	3.24	mg	
Substance	3	Sulfur	Supplier	7704-34-9	0.03	2.0	0.0486	mg	
Substance	3	Iron	Supplier	7439-89-6	71.77	2.0	116.2674	mg	

Substance	3	Chromium	Supplier	7440-47-3	17.0	2.0	27.54	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.15	2.0	0.243	mg	
Substance	3	Nickel	Nickel	7440-02-0	7.5	2.0	12.15	mg	
Sub-Item	1	604134AO=STRIP,COIL-SWITC				1.0	805.0	mg	
Material	2	Tin Plating				1.0	6.8425	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	6.8425	mg	
Material	2	Copper Alloy				1.0	798.1575	mg	
Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	4.82885	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.202	1.0	1.61228	mg	
Substance	3	Copper	Supplier	7440-50-8	99.143	1.0	791.31729	mg	
Substance	3	Magnesium	Supplier	7439-95-4	0.05	1.0	0.39908	mg	
Sub-Item	1	604825CO=IEC PIN,GROUND				1.0	1512.0	mg	
Material	2	Brass				1.0	1496.88	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.0010	1.0	0.0149688	mg	
Substance	3	Zinc	Supplier	7440-66-6	28.0225	1.0	419.4632	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.74844	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	1.0	0.14969	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.74844	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	1.0	1.49688	mg	
Substance	3	Copper	Supplier	7440-50-8	71.5	1.0	1070.2692	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	1.0	0.0149688	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.01	1.0	0.14969	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	0.0074844	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	2.99376	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.074844	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.74844	mg	
Material	2	Nickel Plate				1.0	15.12	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.1	1.0	0.01512	mg	
Substance	3	Nickel	Nickel	7440-02-0	99.7	1.0	15.07464	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.2	1.0	0.03024	mg	
Sub-Item	1	604825AO=CUIEC PIN,LINE				2.0	2205.0	mg	
Material	2	IEC Line Terminals				2.0	2194.0	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	2.0	2194.0	mg	
Material	2	Nickel Plating				2.0	11.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	2.0	11.0	mg	
Sub-Item	1	262814FO=SWITCH,DPST				1.0	5044.0	mg	
Material	2	Blades				1.0	562.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.16	1.0	0.8992	mg	
Substance	3	Silver	Supplier	7440-22-4	1.94	1.0	10.9028	mg	
Substance	3	Copper	Supplier	7440-50-8	69.7	1.0	391.714	mg	
Substance	3	Zinc	Supplier	7440-66-6	28.2	1.0	158.484	mg	
Material	2	Grease				1.0	69.0	mg	
Substance	3	1-Decene, homopolymer, hydrogenated	Supplier	68037-01-4	80.0	1.0	55.2	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	20.0	1.0	13.8	mg	
Material	2	Balls				1.0	129.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.8	1.0	1.032	mg	
Substance	3	Iron	Supplier	7439-89-6	98.8	1.0	127.452	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.4	1.0	0.516	mg	
Material	2	Springs				1.0	120.0	mg	
Substance	3	Nickel	Nickel	7440-02-0	1.19	1.0	1.428	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.4	1.0	0.48	mg	
Substance	3	Iron	Supplier	7439-89-6	98.41	1.0	118.092	mg	
Material	2	Brackets				1.0	1576.0	mg	
Substance	3	Zinc	Supplier	7440-66-6	30.0	1.0	472.8	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	1103.2	mg	
Material	2	Housing				1.0	2042.0	mg	
Substance	3	Bromide	Supplier	24959-67-9	0.1	1.0	2.042	mg	

Substance	3	Carbon black	Supplier	1333-86-4	0.2	1.0	4.084	mg	
Substance	3	Azacyclotridecan-2-one, homopolymer	Supplier	25038-74-8	99.7	1.0	2035.874	mg	
Material	2	Rocker Button				1.0	546.0	mg	
Substance	3	Carbon black	Supplier	1333-86-4	0.2	1.0	1.092	mg	
Substance	3	Hexanedioic acid, polymer with 1,4-butanediol, 2,2-dimethyl-1,3-propanediol, 1,6-hexanediol and 1,1-methylenebis[4-isocyanatobenzene]	Supplier	27417-33-0	99.5	1.0	543.27	mg	
Substance	3	Bromide	Supplier	24959-67-9	0.3	1.0	1.638	mg	
Sub-Item	1	314129AO=CASE,FILTER MODU				1.0	8146.0	mg	
Material	2	PBT-I-GF30-FR(17)				1.0	8146.0	mg	
Substance	3	Dolomite (CaMg(CO3)2)	Supplier	16389-88-1	0.5	1.0	40.73	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	35.0	1.0	2851.1	mg	
Substance	3	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 1,1-[2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl] ester	Supplier	6683-19-8	0.2	1.0	16.292	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	0.2	1.0	16.292	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	244.38	mg	
Substance	3	Talc (Mg3H2(SiO3)4)	Supplier	14807-96-6	2.0	1.0	162.92	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	1.0	1.0	81.46	mg	
Substance	3	Chlorite-group minerals	Supplier	1318-59-8	0.5	1.0	40.73	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	81.46	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	36.6	1.0	2981.436	mg	
Substance	3	Phosphoric acid, zinc salt (2:3)	Supplier	7779-90-0	0.5	1.0	40.73	mg	
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	Supplier	1043-4-FR17	18.0	1.0	1466.28	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	0.5	1.0	40.73	mg	
Substance	3	2-Propenenitrile, polymer with ethenylbenzene	Supplier	9003-54-7	1.0	1.0	81.46	mg	
Sub-Item	1	553082DO=TAPE,MYLAR,CLEAR				1.0	189.9975	mg	
Material	2	Zinc Compounds				1.0	11.3617	mg	
Substance	3	Zinc	Supplier	7440-66-6	100.0	1.0	11.3617	mg	
Material	2	Rubber adhesive				1.0	97.8495	mg	
Substance	3	Benzene, methyl-	Supplier	108-88-3	9.7	1.0	9.4914	mg	
Substance	3	2-Butanone	Supplier	78-93-3	22.33	1.0	21.84979	mg	
Substance	3	Hexane	Supplier	110-54-3	9.7	1.0	9.4914	mg	

Substance	3	1,3-Butadiene, 2-chloro-, homopolymer	Supplier	9010-98-4	15.54	1.0	15.20581	mg	
Substance	3	Naphtha (petroleum), solvent-refined light	Supplier	64741-84-0	27.19	1.0	26.60528	mg	
Substance	3	Phenol, polymer with formaldehyde, magnesium oxide complex	Supplier	68611-24-5	15.54	1.0	15.20581	mg	
Material	2	Film Flame Retardant				1.0	0.0378	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	100.0	1.0	0.0378	mg	
Material	2	Unfilled thermoplastic_PET				1.0	80.7485	mg	
Substance	3	Poly(oxy-1,2-ethanediyloxycarbonyl-1,4-phenylenecarbonyl)	Supplier	25038-59-9	100.0	1.0	80.7485	mg	
Sub-Item	1	604131AO=STRIP,GROUND				1.0	1550.0	mg	
Material	2	Tin Plating for Ground Strip				1.0	15.5	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	15.5	mg	
Material	2	Ground Strip				1.0	1534.5	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.76725	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.65	1.0	454.97925	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.76725	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	1074.15	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.76725	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	3.069	mg	
Sub-Item	1	604088AO=FUSE CONTACT, RN				1.0	970.0	mg	
Material	2	Plating				1.0	9.7	mg	
Substance	3	Tin	Supplier	7440-31-5	99.0	1.0	9.603	mg	
Substance	3	Carbon	Supplier	7440-44-0	1.0	1.0	0.097	mg	
Material	2	Cartridge Brass				1.0	960.3	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	672.21	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505050505050505	1.0	0.485	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505050505050505	1.0	0.485	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6464646464646	1.0	284.695	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2020202020202020	1.0	1.94	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505050505050505	1.0	0.485	mg	
Sub-Item	1	604135AO=STRIP,COIL-SWITC				1.0	805.0	mg	
Material	2	Tin Plating				1.0	6.8425	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	6.8425	mg	
Material	2	Copper Alloy				1.0	798.1575	mg	
Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	4.82885	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.202	1.0	1.61228	mg	
Substance	3	Copper	Supplier	7440-50-8	99.143	1.0	791.31729	mg	
Substance	3	Magnesium	Supplier	7439-95-4	0.05	1.0	0.39908	mg	
Sub-Item	1	1001616-10 ANL .0201IN DIA K				1.0	1954.9831147	mg	
Material	2	Magnet wire				1.0	1954.9831147	mg	
Substance	3	Tin	Supplier	7440-31-5	0.5	1.0	9.77492	mg	
Substance	3	Azacyclotridecan-2-one, homopolymer	Supplier	25038-74-8	0.75	1.0	14.66237	mg	
Substance	3	1,3-Benzenedicarboxylic acid, polymer with 1,4-benzenedicarboxylic acid, 1,4-butanediol and hexanedioic acid	Supplier	66027-02-9	0.75	1.0	14.66237	mg	
Substance	3	Copper	Supplier	7440-50-8	98.0	1.0	1915.88345	mg	

Sub-Item	1	604128BO=STRIP,FUSE TO CO				1.0	1550.0	mg	
Material	2	Plating_Tin				1.0	13.175	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	13.175	mg	
Material	2	Copper Alloy				1.0	1536.825	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.225	1.0	3.45786	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.76841	mg	
Substance	3	Copper	Supplier	7440-50-8	99.12	1.0	1523.30094	mg	
Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	9.29779	mg	
Sub-Item	1	604085BO=V-SEL STRIP, JPR				1.0	1014.0	mg	
Material	2	Plating				1.0	10.14	mg	
Substance	3	Tin	Supplier	7440-31-5	99.0	1.0	10.0386	mg	
Substance	3	Carbon	Supplier	7440-44-0	1.0	1.0	0.1014	mg	
Material	2	Cartridge Brass				1.0	1003.86	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	702.702	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505050505050505	1.0	0.507	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505050505050505	1.0	0.507	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6464646464646	1.0	297.609	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2020202020202020	1.0	2.028	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505050505050505	1.0	0.507	mg	
Sub-Item	1	604111AO=JUMPER,DUMMY FUS				1.0	587.0	mg	
Material	2	Tin Plate				1.0	5.87	mg	
Substance	3	Tin	Supplier	7440-31-5	99.5	1.0	5.84065	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.4	1.0	0.02348	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.1	1.0	0.00587	mg	
Material	2	Brass				1.0	581.13	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.0010	1.0	0.0058113	mg	
Substance	3	Zinc	Supplier	7440-66-6	28.0225	1.0	162.84715	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.29057	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	1.0	0.058113	mg	
Substance	3	Iron	Supplier	7439-89-6	0.05	1.0	0.29057	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	1.0	0.58113	mg	
Substance	3	Copper	Supplier	7440-50-8	71.5	1.0	415.50795	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	1.0	0.0058113	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.01	1.0	0.058113	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	1.0	0.00290565	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2	1.0	1.16226	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.0050	1.0	0.0290565	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	1.0	0.29057	mg	
Sub-Item	1	724073BB=HOUSING,FLANGE				1.0	18708.0	mg	
Material	2	PBT-I-GF30-FR(17)				1.0	18708.0	mg	
Substance	3	Dolomite (CaMg(CO3)2)	Supplier	16389-88-1	0.5	1.0	93.54	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	35.0	1.0	6547.8	mg	
Substance	3	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 1,1-[2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl] ester	Supplier	6683-19-8	0.2	1.0	37.416	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	0.2	1.0	37.416	mg	

Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	561.24	mg	
Substance	3	Talc (Mg3H2(SiO3)4)	Supplier	14807-96-6	2.0	1.0	374.16	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	1.0	1.0	187.08	mg	
Substance	3	Chlorite-group minerals	Supplier	1318-59-8	0.5	1.0	93.54	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	187.08	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	36.6	1.0	6847.128	mg	
Substance	3	Phosphoric acid, zinc salt (2:3)	Supplier	7779-90-0	0.5	1.0	93.54	mg	
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	Supplier	1043-4-FR17	18.0	1.0	3367.44	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	0.5	1.0	93.54	mg	
Substance	3	2-Propenenitrile, polymer with ethenylbenzene	Supplier	9003-54-7	1.0	1.0	187.08	mg	
Sub-Item	1	154378LA=CAPACITOR,FILM,0.047U				1.0	1330.0	mg	
Material	2	Encapsulant				1.0	220.0	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl)methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	100.0	1.0	220.0	mg	
Material	2	Case				1.0	440.0	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4-(1-methylethylidene)bis[phenol]	Brominated Flame Retardants (other than PBBs or PBDEs)	32844-27-2	12.0	1.0	52.8	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	88.0	1.0	387.2	mg	
Material	2	Wire Leads				1.0	270.0	mg	
Substance	3	Iron	Supplier	7439-89-6	80.0	1.0	216.0	mg	
Substance	3	Copper	Supplier	7440-50-8	19.0	1.0	51.3	mg	
Substance	3	Nickel	Nickel	7440-02-0	1.0	1.0	2.7	mg	
Material	2	Wire Lead Plating				1.0	20.0	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	20.0	mg	
Material	2	Metalized Film				1.0	380.0	mg	
Substance	3	Zinc	Supplier	7440-66-6	0.1	1.0	0.38	mg	
Substance	3	1-Propene, homopolymer	Supplier	9003-07-0	98.9	1.0	375.82	mg	
Substance	3	Aluminum	Supplier	7429-90-5	1.0	1.0	3.8	mg	
Sub-Item	1	604128AO=STRIP,FUSE TO CO				1.0	1550.0	mg	
Material	2	Plating_Tin				1.0	13.175	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	13.175	mg	
Material	2	Copper Alloy				1.0	1536.825	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.225	1.0	3.45786	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.05	1.0	0.76841	mg	
Substance	3	Copper	Supplier	7440-50-8	99.12	1.0	1523.30094	mg	
Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	9.29779	mg	
Sub-Item	1	724075AO=FUSEHOLDER				1.0	5870.0	mg	

Material	2	Fuseholder				1.0	5870.0	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	5.0	1.0	293.5	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	33.0	1.0	1937.1	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	30.0	1.0	1761.0	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	1.0	1.0	58.7	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	1.0	1.0	58.7	mg	
Substance	3	Carbonic dichloride, polymer with 4,4-(1-methylethylidene)bis[2,6-dibromophenol] and phenol	Brominated Flame Retardants (other than PBBs or PBDEs)	94334-64-2	30.0	1.0	1761.0	mg	
Sub-Item	1	604089AO=TAB, FUSE HOLDER				4.0	432.0	mg	
Material	2	Tin Plate				4.0	21.6	mg	
Substance	3	Tin	Supplier	7440-31-5	99.5	4.0	21.492	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	0.4	4.0	0.0864	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.1	4.0	0.0216	mg	
Material	2	Phos Bronze				4.0	410.4	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.02	4.0	0.08208	mg	
Substance	3	Copper	Supplier	7440-50-8	93.1335	4.0	382.21988	mg	
Substance	3	Zinc	Supplier	7440-66-6	0.3	4.0	1.2312	mg	
Substance	3	Chromium	Supplier	7440-47-3	0.01	4.0	0.04104	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.35	4.0	1.4364	mg	
Substance	3	Iron	Supplier	7439-89-6	0.1	4.0	0.4104	mg	
Substance	3	Arsenic	Supplier	7440-38-2	0.015	4.0	0.06156	mg	
Substance	3	Beryllium	Supplier	7440-41-7	0.0010	4.0	0.004104	mg	
Substance	3	Cobalt	Supplier	7440-48-4	0.1	4.0	0.4104	mg	
Substance	3	Antimony	Supplier	7440-36-0	0.01	4.0	0.04104	mg	
Substance	3	Tin	Supplier	7440-31-5	5.8	4.0	23.8032	mg	
Substance	3	Cadmium	Cadmium/Cadmium Compounds	7440-43-9	0.01	4.0	0.04104	mg	
Substance	3	Mercury	Mercury/Mercury Compounds	7439-97-6	5.0E-4	4.0	0.002052	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.05	4.0	0.2052	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.1	4.0	0.4104	mg	
Sub-Item	1	200393LB=RESISTOR,FIXED FILM				1.0	170.0	mg	
Material	2	Wire Plating				1.0	1.7	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	1.7	mg	
Material	2	Electronic component				1.0	96.9	mg	
Substance	3	Barium oxide (BaO)	Supplier	1304-28-5	3.508771929824456	1.0	3.4	mg	
Substance	3	Tin oxide (SnO2)	Supplier	18282-10-5	1.754385964912281	1.0	1.7	mg	
Substance	3	Iron	Supplier	7439-89-6	43.85964912280701	1.0	42.5	mg	
Substance	3	Aluminum oxide (Al2O3)	Supplier	1344-28-1	33.33333333333333	1.0	32.3	mg	
Substance	3	Siloxanes and Silicones, di-Me, Me vinyl	Supplier	67762-94-1	7.017543859649122	1.0	6.8	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	10.526315789473685	1.0	10.2	mg	
Material	2	Wire lead				1.0	71.4	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	71.4	mg	
Sub-Item	1	604083AO=FUSE CLIP				2.0	1682.0	mg	
Material	2	Fuse Clip Plating (Sn)				2.0	14.297	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	2.0	14.297	mg	
Material	2	Fuse Clip				2.0	1667.703	mg	

Substance	3	Iron	Supplier	7439-89-6	0.15	2.0	2.50155	mg	
Substance	3	Copper	Supplier	7440-50-8	96.2	2.0	1604.33029	mg	
Substance	3	Silicon	Supplier	7440-21-3	0.65	2.0	10.84007	mg	
Substance	3	Nickel	Nickel	7440-02-0	3.0	2.0	50.03109	mg	
Sub-Item	1	604085AO=V-SEL STRIP, JPR				1.0	1014.0	mg	
Material	2	Plating				1.0	10.14	mg	
Substance	3	Tin	Supplier	7440-31-5	99.0	1.0	10.0386	mg	
Substance	3	Carbon	Supplier	7440-44-0	1.0	1.0	0.1014	mg	
Material	2	Cartridge Brass				1.0	1003.86	mg	
Substance	3	Zinc	Supplier	7440-66-6	29.6464646464646	1.0	297.609	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.0505050505050505	1.0	0.507	mg	
Substance	3	Copper	Supplier	7440-50-8	70.0	1.0	702.702	mg	
Substance	3	Iron	Supplier	7439-89-6	0.0505050505050505	1.0	0.507	mg	
Substance	3	Lead	Lead/Lead Compounds	7439-92-1	0.0505050505050505	1.0	0.507	mg	
Substance	3	Nickel	Nickel	7440-02-0	0.2020202020202020	1.0	2.028	mg	
Sub-Item	1	724130AO=CARRIER,FILTER M				1.0	2510.0	mg	
Material	2	PBT-I-GF30-FR(17)				1.0	2510.0	mg	
Substance	3	Dolomite (CaMg(CO3)2)	Supplier	16389-88-1	0.5	1.0	12.55	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	35.0	1.0	878.5	mg	
Substance	3	Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 1,1-[2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl] ester	Supplier	6683-19-8	0.2	1.0	5.02	mg	
Substance	3	Furan, tetrahydro-	Supplier	109-99-9	0.2	1.0	5.02	mg	
Substance	3	Contains No Reportable TE5081-2 Substances	Supplier	TE5081-2-1212	3.0	1.0	75.3	mg	
Substance	3	Talc (Mg3H2(SiO3)4)	Supplier	14807-96-6	2.0	1.0	50.2	mg	
Substance	3	Ethene, 1,1,2,2-tetrafluoro-, homopolymer	Supplier	9002-84-0	1.0	1.0	25.1	mg	
Substance	3	Chlorite-group minerals	Supplier	1318-59-8	0.5	1.0	12.55	mg	
Substance	3	Carbon black	Supplier	1333-86-4	1.0	1.0	25.1	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	36.6	1.0	918.66	mg	
Substance	3	Phosphoric acid, zinc salt (2:3)	Supplier	7779-90-0	0.5	1.0	12.55	mg	
Substance	3	Aromatic Brominated flame retardant with Antimony - ISO 1043-4 code #FR(17)	Supplier	1043-4-FR17	18.0	1.0	451.8	mg	
Substance	3	Quartz (SiO2)	Supplier	14808-60-7	0.5	1.0	12.55	mg	
Substance	3	2-Propenenitrile, polymer with ethenylbenzene	Supplier	9003-54-7	1.0	1.0	25.1	mg	
Sub-Item	1	604132AO=STRIP,SWITCH-SOC				1.0	1500.0	mg	
Material	2	Tin Plating				1.0	12.75	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	12.75	mg	
Material	2	Copper Alloy				1.0	1487.25	mg	

Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	8.99786	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.202	1.0	3.00425	mg	
Substance	3	Copper	Supplier	7440-50-8	99.143	1.0	1474.50427	mg	
Substance	3	Magnesium	Supplier	7439-95-4	0.05	1.0	0.74363	mg	
Sub-Item	1	101922AC=CORE,TOROID (10K				1.0	1972.0	mg	
Material	2	TOROID CORE				1.0	1972.0	mg	
Substance	3	Manganese oxide (Mn3O4)	Supplier	1317-35-7	18.0	1.0	354.96	mg	
Substance	3	Iron oxide (Fe2O3)	Supplier	1309-37-1	69.0	1.0	1360.68	mg	
Substance	3	Oxirane, 2,2-[[[(oxiranylmethoxy)phenyl]methylene]bis[[(1,1-dimethylethyl) methylphenylene]oxymethylene]]bis-	Supplier	129915-35-1	1.0	1.0	19.72	mg	
Substance	3	Zinc oxide (ZnO)	Supplier	1314-13-2	12.0	1.0	236.64	mg	
Sub-Item	1	604133AO=STRIP,SWITCH-SOC				1.0	1500.0	mg	
Material	2	Tin Plating				1.0	12.75	mg	
Substance	3	Tin	Supplier	7440-31-5	100.0	1.0	12.75	mg	
Material	2	Copper Alloy				1.0	1487.25	mg	
Substance	3	Iron	Supplier	7439-89-6	0.605	1.0	8.99786	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	0.202	1.0	3.00425	mg	
Substance	3	Copper	Supplier	7440-50-8	99.143	1.0	1474.50427	mg	
Substance	3	Magnesium	Supplier	7439-95-4	0.05	1.0	0.74363	mg	
Sub-Item	1	724076AO=DOOR,HOUSING				1.0	1736.0	mg	
Material	2	Housing Door_Black Valox				1.0	1736.0	mg	
Substance	3	1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester, polymer with 1,4-butanediol	Supplier	30965-26-5	77.5	1.0	1345.4	mg	
Substance	3	Antimony oxide (Sb2O3)	Supplier	1309-64-4	3.0	1.0	52.08	mg	
Substance	3	Carbon black	Supplier	1333-86-4	2.0	1.0	34.72	mg	
Substance	3	Glass, oxide, chemicals	Supplier	65997-17-3	7.5	1.0	130.2	mg	
Substance	3	Benzene, 1,1-(1,2-ethanediyl)bis[2,3,4,5,6-pentabromo-	Brominated Flame Retardants (other than PBBs or PBDEs)	84852-53-9	10.0	1.0	173.6	mg	
Sub-Item	1	384136BO=SHROUD,FILTER MO				1.0	23900.0	mg	
Material	2	Phosphorus Plating				1.0	8.126	mg	
Substance	3	Phosphorus	Supplier	7723-14-0	100.0	1.0	8.126	mg	
Material	2	Copper Plating				1.0	23.9	mg	
Substance	3	Copper	Supplier	7440-50-8	100.0	1.0	23.9	mg	
Material	2	Nickel Plating				1.0	95.6	mg	
Substance	3	Nickel	Nickel	7440-02-0	100.0	1.0	95.6	mg	
Material	2	Filter Shroud				1.0	23772.374	mg	
Substance	3	Aluminum	Supplier	7429-90-5	0.04	1.0	9.50895	mg	
Substance	3	Silicon	Supplier	7440-21-3	0.09	1.0	21.39514	mg	
Substance	3	Manganese	Supplier	7439-96-5	0.5	1.0	118.86187	mg	
Substance	3	Sulfur	Supplier	7704-34-9	0.02	1.0	4.75447	mg	
Substance	3	Iron	Supplier	7439-89-6	99.3	1.0	23605.96738	mg	
Substance	3	Carbon	Supplier	7440-44-0	0.05	1.0	11.88619	mg	