


REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
B	REVISED/REDRAWN PER DCR NO. AD98158	5/7/98	GMR



PART NO.	FORMER DIA (ϕA)	CARRIERS	ENDS	STRAND (AWG)
TB13-X-63	.250 [6,3]	24	16	36
TB13-X-95	.375 [9,5]	48	8	36
TB13-X-127	.500 [12,7]	48	11	36
TB13-X-200	.787 [20,0]	48	18	36

PART NUMBER: TB13 - X - XXX
PRODUCT DESIGNATOR: —
MATERIAL: —
T: TINNED COPPER BRAID
N: NICKEL COPPER BRAID
SIZE: —

NOTES:

1. THE BRAID SHALL BE SUPPLIED IN ROUND FORMS ON A PLASTIC TUBE FORMER AND SHALL BE WOUND WITH THE REFERENCE AND LENGTH CLEARLY MARKED ON A SECURELY ATTACHED LABEL.

If this document is printed it becomes uncontrolled.
Check with document control for latest revision.

SPECIFICATION CONTROL DRAWING


UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES.
METRIC DIMENSIONS ARE
IN BRACKETS.

DECIMALS
.XXX ± — — — [mm]
.XX ± — — — [mm]
.X ± — — — [mm]

ANGLES
.X ± — — —

DRAWN G. ROSITANO	DATE 5/1/98
CHECKED	DATE
APPROVED	DATE
APPROVED W.C. GAY	DATE 5/4/98
CAD NAME TB13-X	

THIRD ANGLE
PROJECTION



Raychem

RAYCHEM CORPORATION
300 CONSTITUTION DRIVE
MENLO PARK, CALIFORNIA 94025

TITLE

TB-13 BRAID

SIZE	CODE IDENT. NO.	DWG. NO.	REV
A	06090	TB13-X-XXX	B
DO NOT SCALE THIS DWG		SHEET 1 OF 1	