

5026A1334-0

✓ 有效

RAYCHEM

TE 内部编号 440900-001

50 ohm, 26 AWG, -65 – 125 °C [-85 – 257 °F], High Speed Digital & Data Cable

[在 TE 官网查看>](#)



线缆 > 高速数字数据连接器



电缆类型: Cheminax

阻抗: 50 Ω

线径: 26 AWG

工组温度范围: -65 – 125 °C [-85 – 257 °F]

产品特性

产品类型特性

电缆种类	绕组编织
------	------

电气特征

电容	.0000308 pF/m[30.8 pF/ft]
阻抗	50 Ω

信号特征

传播速度	66 %
------	------

主体特性

绝缘套管材料	Thermorad S
屏蔽类型	单绞
导体材料	镀银高强度铜
电缆颜色	黑色
屏蔽电镀材料	锡
屏蔽材料	铜

尺寸

导体直径范围	.48 mm[.019 in]
电缆外径	2.44 mm[.096 in]
电缆电介质直径	1.5 mm[.059 in]
线径	26 AWG



使用环境

电缆类型	Cheminax
工组温度范围	-65 – 125 °C[-85 – 257 °F]

其他

电介质材料	Rayolin, Rayolin F
-------	--------------------

产品合规性

如需合规文档，请访问 [TE 官网产品页面](#)。>

欧盟RoHS指令2011/65/EU	Not Compliant
欧盟ELV指令2000/53/EC	Not Compliant
中国电器电子产品有害物质限制使用管理办法（China RoHS 2，工业和信息化部携七部委2016年第32号令	有害物质含量超出标准 Restricted Substance(s) Above Threshold
欧盟REACH法规(EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Cd (.6% in conductor) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
卤素含量	Out of Scope - excluded from Halogen requirements
焊接工艺能力	Not applicable for solder process capability

产品合规免责声明

此信息基于对供应商的合理调查以及TE对供应商提供的信息的现有认知。此信息可能发生变化。经TE确认符合欧盟RoHS的产品编号，产品均质材料中铅、六价铬、汞、PBB、PBDE、DEHP、BBP、DBP和DIBP的最大浓度不超过 0.1%，镉的最大浓度不超过 0.01%或符合指令2011/65/EU(RoHS2)及其修订指令规定的豁免。根据2011/65/EU 指令要求电子电气产品需要进行 CE 标识。元器件产品通常无需进行CE 标识。经 TE 确认符合欧盟 ELV 指令的产品编号，产品均质材料中，铅、六价铬和汞的最大浓度不超过0.1%，镉的最大浓度不超过 0.01%（按重量计算），或符合指令 2000/53/EC (ELV) 附录中规定的豁免。关于欧盟REACH法规，TE 目前提供的此产品编号的物品中高度关注物质（SVHC）的信息是基于欧洲化学品管理局（ECHA）最新发布的“物品中物质的要求指南”，链接如下：https://echa.europa.eu/guidance-documents/guidance-on-reach

配套部件



客户还购买了



文档

[数据表/目录页](#)
[Raychem Cheminax RF Coaxial Cables and RF Connectors Selection Guide](#)
[英文版本](#)

[产品规格](#)
[产品规格](#)
[英文版本](#)