

CERTIFICATE OF COMPLIANCE

Certificate Number 20160506-E58304
Report Reference E58304-19940627
Issue Date 2016-MAY-06

Issued to: Tyco Electronics (Shenzhen) Co Ltd
TYCO ELECTRONICS TECHNOLOGY PARK
SHIYAN ST
BAO'AN DISTRICT
SHENZHEN
GUANGDONG 518108 CHINA

**This is to certify that
representative samples of**

COMPONENT - MOTOR CONTROLLERS, MAGNETIC
See Addendum Page.

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508 and CSA C22.2 No. 14-13, Industrial Control
Equipment.

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance
capabilities and are intended for use as components of complete equipment submitted for investigation rather
than for direct separate installation in the field. The final acceptance of the component is dependent upon its
installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20160506-E58304
Report Reference E58304-19940627
Issue Date 2016-MAY-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Type T9A; followed by N, P, S, V, C, B or F; followed by 1, 2, 2X, or 5; followed by D, E, L or H; followed by 1, 2 or 5; followed by 1, 2, 4, 6 or 7; followed by 5 through 110; may be followed by up to five letters and/or numbers.

Type T9A, followed by 4000 through 4999, may be followed by a "-" and one or two numbers, may be followed by up to five numbers and or letters.

Type T9E; followed by S, or V; followed by 1 or 5; followed by D or L; followed by 1 or 2; followed by 1, 2, 4 OR 7; followed by 5 through 110; may be followed by up to five letters and/or numbers.

Type T9S or T9V, followed by S or V, followed by 1, followed by K, followed by 1, followed by 5, followed by 12, followed by blank or S, may be followed by five letters and/or numbers.



Bruce Mahrenholz, Assistant Chief Engineer, Global Inspection and Field Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

