

# CERTIFICATE OF COMPLIANCE

**Certificate Number** E528027  
**Report Reference** E528027-20220623  
**Issue Date** 2022-JUNE-23

**Issued to:** TYCO ELECTRONICS FRANCE SAS.  
3 rue Jean Perrin  
Chassieu, 69680  
FR.

**This certificate confirms that representative samples of** OUTLET BUSHINGS AND FITTINGS - COMPONENT  
See Addendum Page

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**Standard(s) for Safety:** UL 514B and CSA C22.2 No. 18.3-12, CSA C22.2 No. 18.3 - Conduit, Tubing, and Cable Fittings.  
UL 50E and CSA C22.2 No. 94.2-15, CSA C22.2 No. 94.2, CSA C22.2 No. 94.2-20 - Enclosures for Electrical Equipment, Environmental Considerations.

**Additional Information:** See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product. |



Bruce Mahrenholz, Conformity Assessment Director  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E528027  
**Report Reference** E528027-20220623  
**Issue Date** 2022-JUNE-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Liquid-Tight Flexible Cord Connectors-Straight

EP-SG-M12-LGR-A ,EP-SG-M12-GR-A ,EP-SG-M12-BL-A ,EP-SG-M12-LGR-C ,EP-SG-M12-GR-C ,EP-SG-M12-BL-C ,EP-SG-M12-LGR-D ,EP-SG-M12-GR-D ,EP-SG-M12-BL-D ,EP-SG-M12-LGR-F ,EP-SG-M12-GR-F ,EP-SG-M12-BL-F ,EP-SG-M16-LGR-A ,EP-SG-M16-GR-A ,EP-SG-M16-BL-A ,EP-SG-M16-LGR-D ,EP-SG-M16-GR-D ,EP-SG-M16-BL-D ,EP-SG-M16-LGR-F ,EP-SG-M16-GR-F ,EP-SG-M16-BL-F ,EP-SG-M16-LGR-I ,EP-SG-M16-GR-I ,EP-SG-M16-BL-I ,EP-SG-M20-LGR-G ,EP-SG-M20-GR-G ,EP-SG-M20-BL-G ,EP-SG-NPT38-LGR-A ,EP-SG-NPT38-GR-A ,EP-SG-NPT38-BL-A ,EP-SG-NPT38-LGR-B ,EP-SG-NPT38-GR-B ,EP-SG-NPT38-BL-B ,EP-SG-PG7-LGR-A ,EP-SG-PG7-GR-A ,EP-SG-PG7-BL-A ,EP-SG-PG9-LGR-A ,EP-SG-PG9-GR-A ,EP-SG-PG9-BL-A ,EP-SG-PG11-LGR-A ,EP-SG-PG11-GR-A ,EP-SG-PG11-BL-A ,EP-SG-PG11-GR-B ,

## Liquid-Tight Flexible Cord Connectors-Straight Long Threads

EP-SG-M16-LGR-E ,EP-SG-M16-GR-E ,EP-SG-M16-BL-E ,EP-SG-M16-LGR-J ,EP-SG-M16-GR-J ,EP-SG-M16-BL-J

## Liquid-tight flexible cord fittings, straight

EP-SG-PG7-LGR-B ,EP-SG-PG7-GR-B ,EP-SG-PG7-BL-B ,EP-SG-PG9-LGR-B ,EP-SG-PG9-GR-B ,EP-SG-PG9-BL-B ,EP-SG-PG11-LGR-B ,EP-SG-PG11-BL-B

## Liquid-tight flexible cord fittings, type 1, 4X, 12, and 13 rating

EM-SG-M12-MET-C ,EM-SG-M12-MET-D ,EM-SG-M16-MET-E ,EM-SG-M16-MET-F ,EM-SG-M16-MET-G ,EM-SG-M16-MET-H ,EM-SG-M16-MET-I ,EM-SG-NPT38-MET-C ,EM-SG-NPT38-MET-D ,EM-SG-PG7-MET-C ,EM-SG-PG7-MET-D ,EM-SG-PG9-MET-C ,EM-SG-PG9-MET-D ,EM-SG-PG11-MET-C ,EM-SG-PG11-MET-D ,EM-EMC4-M12-MET-A ,EM-EMC4-M16-MET-A ,EM-EMC2-NPT38-MET-A ,EM-EMC4-NPT14-MET-A ,EM-EMC4-NPT38-MET-A

## Liquid-Tight Flexible Cord Connectors-PAT glands, type 4X rating:

EP-SIG-SZ16-LGR-B ,EP-SIG-SZ16-GR-B ,EP-SIG-SZ16-BL-B ,EP-SIG-SZ20-LGR-C ,EP-SIG-SZ20-GR-C ,EP-SIG-SZ20-BL-C ,EP-SIG-SZ20-LGR-D ,EP-SIG-SZ20-GR-D ,EP-SIG-SZ20-BL-D ,EP-SIG-SZ25-LGR-B ,EP-SIG-SZ25-GR-B ,EP-SIG-SZ25-BL-B ,EP-SIG-SZ32-LGR-B ,EP-SIG-SZ32-GR-B ,EP-SIG-SZ32-BL-B



Bruce Mahrenholz, Conformity Assessment Director  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E528027  
**Report Reference** E528027-20220623  
**Issue Date** 2022-JUNE-23

Liquid-tight flexible cord connectors:

EM-EMC2-M12-MET-A ,EM-EMC2-M16-MET-A ,EM-EMC2-M16-MET-C ,EM-EMC2-M20-MET-A ,EM-EMC2-PG7-MET-A ,EM-EMC2-PG9-MET-A ,EM-EMC2-PG11-MET-A ,EM-EMC2-PG135-MET-A

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic standard type"

EM-HG-M12-MET-A ,EM-HG-M16-MET-A ,EM-HG-NPT14-MET-A ,EM-HG-NPT38-MET-A

Liquid-Tight Flexible Metallic Conduit Connector, "Hygienic EMC type"

EM-HEMC-M16-MET-A, EM-HEMC-NPT38-MET-A

|



Bruce Mahrenholz, Conformity Assessment Director  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Customer Service at <http://ul.com/aboutul/locations/>

