File E28476 Vol. 4 Sec. 51 Page 1 Issued: 1994-06-21 Vol. 60 Sec. 17 Revised: 2013-05-07

Vol. 116 Sec. 19 and Report

DESCRIPTION

PRODUCT COVERED:

Component Connectors - AF (Alignment-Free) Connector Series.

GENERAL:

These devices are multi-pole **card edge** connectors employing contacts of the solder termination type for use with printed circuit boards.

ENGINEERING CONSIDERATIONS (NOT FOR UL REPRESENTATIVE USE):

Use - For use only in complete equipment where the acceptability of the combination is determined by Underwriters Laboratories Inc.

Conditions of Acceptability - In order to be judged acceptable as a component of electrical equipment, the following conditions should be met.

- 1. These devices should be used only where they will not interrupt the current.
 - 2. These devices have not been tested for current-carrying capability.
- 3. The suitability of the mounting means shall be determined in the $\!\!$ end use.
- 4. The placement of these devices within the equipment enclosure should be such that spacings between the live parts and the equipment are suitable for the particular application.
- 5. The suitability of the spacings between adjacent poles and the associated voltage rating shall be determined in the end-use. Dielectric testing has not been performed.
- 6. The electrical and mechanical contact between the connector and the printed circuit board is to be judged in the end-use equipment.

File E28476	Vol. 4	Sec. 51	Page 2	Issued:	1994-06-21
	Vol. 60	Sec. 17			
	Vol. 116	Sec. 19			
		and Report			

- 7. The suitability of the insulating materials used in the molded bodies shall be judged in the end-use equipment.
- 8. The operating temperature of these devices should not exceed the temperature ratings of the insulating materials. These materials may be used interchangeably at a maximum temperature of $65\,^{\circ}\text{C}$.