





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DATE	DWN	APVD			
DF	DO						
P		9 JAN 03	CAS	MKS	UPDATE PER 0H2Y-0008-04		



SIZE	C DIM	(L DIM)
04	.115	(.075)
09	.240	(.200)
15	.390	(.350)

4.	25	.640	(.600)
4.	37	.940	(.900)
4.	51	1.290	(1.250)



DETAIL A
POSITION "T" SHOWN FOR REFERENCE

- T ○○○○○○○○● POSITION 1
- U ○○○○○○○○● POSITION 2
- V ○○○○○○○●○○○ POSITION 3
- W ●○○○○○○○● POSITION 1, AND SECOND TO LAST POSITION
- Y ○○○●○○○○○○● POSITION 1, AND THIRD TO LAST POSITION
- Z ○○○●○○○○○○● POSITION 2, AND THIRD TO LAST POSITION

- 1. INSULATOR MATERIAL: LCP (LIQUID CRYSTAL POLYMER) PER ASTM D5138
- 2. OPTIONAL POLARIZATION POSITION SHOWN FOR REFERENCE ONLY. IF POLARIZATION GUIDE POST(S) ARE REQUIRED ON THE MATING PLUG, THE CORRESPONDING LOCATION MUST BE SPECIFIED IN THE NANONICS RECEPTACLE PART NUMBER. THE CONTACT CAVITY IS LEFT EMPTY FOR ACCEPTANCE OF THE PLUG GUIDE POST.
- 3. TERMINATION CODE: M6
- 4. WHEN ORDERING THESE SIZES, FIRST CONSULT TYCO ELECTRONICS/NANONICS FOR ADDITIONAL INFORMATION.
- 5. THIS DRAWING PREVIOUSLY IDENTIFIED AS NANONICS N10138/052


2. POLARIZING POSITIONS, SEE DETAIL A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 21 JUN 00 D. RYAN	Tyco Electronics Corporation Harrisburg, PA 17105
DIMENSIONS: INCHES		CHK 22 JUN 00 M. STORRY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD -	NAME
0 PLC ± -		PRODUCT SPEC -	RECEPTACLE ASSY, UNSHROUDED STRIP, HORIZONTAL MOUNT, THROUGH HOLE, 1 TO 2 ROW, .050 SPACING
1 PLC ± -		APPLICATION SPEC -	SIZE CAGE CODE DRAWING NO RESTRICTED TO
2 PLC ± .010		WEIGHT -	A2 00779 C=1589454
3 PLC ± .005		CUSTOMER DRAWING	SCALE 8:1 SHEET 1 OF 2 REV P
4 PLC ± -			
ANGLES ± 1			
FINISH			
SEE NOTES			


1589454

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
DF	D0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		P		UPDATE PER 0H2Y-0008-04	9 JAN 04	CAS	MKS




4 POSITION



9 POSITION




15 POSITION




37 POSITION



51 POSITION



TYPICAL PCB LAYOUT
SIZE 25 SHOWN FOR REFERENCE



- 6. POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCES DEFINED BY PCB DESIGNER.
- 7. PLATED THROUGH HOLES
- 8. SOLDER PADS
- 9. ALL THROUGH HOLE LAYOUTS ARE AS VIEWED FROM TOP OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	 Tyco Electronics Corporation Harrisburg, PA 17105							
DIMENSIONS: INCHES		CHK	-								
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	-								
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± - FINISH -		NAME	RECEPTACLE ASSY, UNSHROUDED STRIP, HORIZONTAL MOUNT, THROUGH HOLE, 1 TO 2 ROW, .050 SPACING								
MATERIAL		PRODUCT SPEC	-	SIZE	A2	CAGE CODE	00779	DRAWING NO	C=1589454	RESTRICTED TO	-
		APPLICATION SPEC	-	SCALE	6:1	SHEET	2	OF	2	REV	P
		WEIGHT	-	CUSTOMER DRAWING							

1589454