





REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
B		REVISED PER ECO-15-004915	10APR2015	AP DD




KEY POSITION CHART	
	NONE
	A
	B
	C
	D
	E
	F
	G
	H



RECOMMENDED PCB LAYOUT MIN BOARD THICKNESS 1.0

- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30µ" SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.
- 3. CONNECTORS SUPPLIED WITH MOUNTING SCREWS.



SCALE 4:1

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY

KEY POSITION	FINISH	PART NUMBER
H	△2	8-2110116-1
G	△2	7-2110116-1
F	△2	6-2110116-1
E	△2	5-2110116-1
D	△2	4-2110116-1
C	△2	3-2110116-1
B	△2	2-2110116-1
A	△2	1-2110116-1
NONE	△2	2110116-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: HIRAN HOLLAL 16NOV2012	TE Connectivity
DIMENSIONS: mm		CHK: D. DIXON 16NOV2012	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: D. DIXON 16NOV2012	NAME: IMPACT, 5 PAIR, DAUGHTERCARD PRODUCT SPEC: 14 COLUMN, LEFT GUIDED, SIGNAL MODULE, 0.39 EYELET APPLICATION SPEC:
0 PLC ±.2 1 PLC ±.2 2 PLC ±.13 3 PLC ±. 4 PLC ±. ANGLES ±.		SIZE: A1 CAGE CODE: 2110116 DRAWING NO: 100779	
MATERIAL: SEE TABLE		WEIGHT: -	RESTRICTED TO: -
FINISH: SEE TABLE		Customer Drawing	SCALE: 6:1 SHEET: 1 OF 1 REV: B