

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By -

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	OFFICIAL VERSION RELEASE	18DEC2015	F.Y	X.X
	A1	PER ECR-16-006247	16JUN2016	F.Y	X.X

ITEM	COMPONENTS	MATERIAL	Q'TY	PLATING
6	GROUND TERMINAL	COPPER ALLOY	1	TIN PLATED
5	TERMINAL 4	COPPER	1	TIN PLATED
4	SPRING CLAMP	STAINLESS STEEL	4	
3	TERMINAL 2	COPPER	1	TIN PLATED
2	TERMINAL 1	COPPER	1	TIN PLATED
1	HOUSING	THERMOPLASTIC	1	

DTS 2.5 DO-G	2271575-1	GREEN
TE SERIES No.	PART NUMBER	COLOR

NOTE:

- Material: See Table
- Operation temperature : -40°C to +105°C
- Wire strip length: 8mm -10mm
- Suitable wire size : 28 - 12 AWG
- Requirement for environmental substance must be compliance with ROHS and REACH.
- Recommended support rail requirements refer to 114 application specification.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN FENCER YU 16JUN2016	TE TE Connectivity	
		CHK KOBBY ZHAO 16JUN2016		
DIMENSIONS: mm		APVD XIANG XU 16JUN2016	NAME 2.5mm ² WIRE TWO LEVEL SPRING CLAMP TYPE TERMINAL BLOCK WITH GROUND FUNCTION	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.50 1 PLC ± 0.40 2 PLC ± 0.30 3 PLC ± - 4 PLC ± - ANGLES ± 3°		PRODUCT SPEC 108-137142	SIZE A300779	
MATERIAL -		APPLICATION SPEC 114-137138	DRAWING NO C=2271575	
FINISH -		WEIGHT 13.0 g	RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 1:1	SHEET 1 OF 1
			REV A1	

1470-19 (1/15)