


REVISIONS				
#	CT#	DESCRIPTION	DATE	OWN / APVD
A		INITIAL RELEASE	11NOV2022	M.B / W.Z
A1		REVISE	21NOV2022	J.Z / W.Z
A2		REVISE	11JAN2023	J.Z / W.Z

PN	DESIGN	MATERIAL	SURFACE	WIRE RANGE [mm ²]	INSULATION Ø [mm]	STRIP FORM WIRE CRIMP INSUL.-CRIMP				SIMILAR WITH GLOBAL PN					
						A	B	C	D						
UNSEALED	2435073-2	CuSn4	PRETINNED	0.5-1.0	1.4-2.1	E=2.5 G=2.7 DDr=1.2	H=3.7 K=3.9 D=1.8	3.0	4.0	5.5	18.8	964284-2			
	2438922-2	CuSn4	PRETINNED	0.35	1.2-1.3	E=2.4 G=2.3 DDr=1.0	H=2.9 K=2.9 D=1.4	2.5	3.5	5.6	18.8	2141892-2			
	2435067-2	CuSn4	PRETINNED	>1.0-2.5	2.2-3.0	E=3.6 G=3.8 DDr=1.8	H=4.7 K=4.9 D=2.6	3.3	4.3	5.8	18.8	965999-2			
	2435074-2	CuSn4	PRETINNED	0.2-0.5	1.15-1.6	E=2.1 G=2.1 DDr=0.8	H=2.7 K=2.8 D=1.4	2.5	3.5	5.6	18.8	964280-2			
SINGLE WIRE SEAL	2438906-2	CuSn4	PRETINNED	>1.0-2.5	2.2-3.0	E=3.6 G=3.8 DDr=1.8	H=5.3 K=5.0 D=3.5	3.5	5.2	6.8	19.55	964273-2			
	2438906-1	CuFe2	PRETINNED									964273-1			
	2438803-2	CuSn4	PRETINNED	0.5-1.0	1.4-2.7	E=2.5 G=2.7 DDr=1.2	H=5.1 K=4.8 D=3.3	3.0	4.7	6.3	19.55	964286-2			
	2438803-1	CuFe2	PRETINNED									964286-1			
PN	DESIGN	MATERIAL	SURFACE	WIRE RANGE [mm ²]	INSULATION Ø [mm]	STRIP FORM WIRE CRIMP INSUL.-CRIMP				CRIMP DIMENSION (mm)	A	B	C	D	SIMILAR WITH GLOBAL PN

- NOTES
- 1. CUT OFF OPTIONAL
 - 2. FOR EVALUATION OF THE GAP-SIZE, THE MATING-FORCE HAS PRIORITY.
 - 3. 4 IS SUZHOU VERSION PN . SIMILAR WITH GLOBAL PN 4.



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: M.BIAN	13NOV2022	TE Connectivity
DIMENSIONS: mm		CHK: J.GU	13NOV2022	
TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.2		APVD: W.ZHANG	13NOV2022	NAME: JUNIOR POWER TIMER CONNECT TYPE A PRODUCT GROUP DRAWING
MATERIAL: -		APPLICATION SPEC: 108-18013		SIZE: A
FINISH: -		WEIGHT: -		CAGE CODE: 00779
CUSTOMER DRAWING		SCALE: 10:1		DRAWING NO: C=2435067
		SHEET 1 OF 1		REV: A2