
1-1437713-2 - ACTIVE

Timer Connector System TE Internal #: 1-1437713-2 Grommet Seal, Silicone, Red, .055 – .083 in [1.4 – 2.1 mm] Insulation Diameter, Timer Connector System

View on TE.com >



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: Grommet Seal

Primary Product Material: Silicone

Primary Product Color: Red

Compatible Insulation Diameter Range: 1.4 – 2.1 mm [.055 – .083 in]

Shore A Hardness: 50

Features

Product Type Features

I I O'G'G'		Cului	

Connector Seal & Plug Type	Grommet Seal			
Body Features				
Primary Product Material	Silicone			
Primary Product Color	Red			
Dimensions				
Compatible Insulation Diameter Range	1.4 – 2.1 mm[.055 – .083 in]			
Packaging Features				
Packaging Quantity	10000			
Packaging Method	Bag			
Packaging Method Other	Bag			
	Bag 50			

Product Compliance

1-1437713-2

Grommet Seal, Silicone, Red, .055 – .083 in [1.4 – 2.1 mm] Insulation Diameter, Timer Connector System



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts





Also in the Series | Timer Connector System


1-1437713-2

Grommet Seal, Silicone, Red, .055 – .083 in [1.4 – 2.1 mm] Insulation Diameter, Timer Connector System









PCB Headers & Receptacles(77)

Quick Disconnects(4)

Customers Also Bought



Documents

C For support call+1 800 522 6752

1-1437713-2

Grommet Seal, Silicone, Red, .055 – .083 in [1.4 – 2.1 mm] Insulation Diameter, Timer Connector System



Product Drawings

106100=GROMMET RED

English

106100=GROMMET RED

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1437713-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-1437713-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1437713-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.