1-2236888-1 ACTIVE



HSD

TE Internal #: 1-2236888-1

Data Connectivity Housings, Housing for Female Terminals, A, Wireto-Device, 8 Position, .5 in [12.7 mm] Centerline, Crimp, Cable Type

SSQ, HSD

View on TE.com >



Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Housings











Connector & Housing Type: Housing for Female Terminals

Mating Pin Diameter: .6 mm [.024 in]

Connector & Keying Code: A Connector System: Wire-to-Device

Number of Positions: 8

Features

Product Type Features

Product Type Features				
Mixed & Hybrid Connector	No			
Connector & Housing Type	Housing for Female Terminals			
Connector System	Wire-to-Device			
Sealable	No			
Connector & Contact Terminates To	Wire & Cable			
Configuration Features				
Snap-Lock	With			
Number of Positions	8			
Electrical Characteristics				
Impedance	100 Ω			
Body Features				
Cable Exit Type	Fixed			
Ferrule	Without			

PBT GF

Body Material



Connector & Keying Code	A
Contact Features	
Center Contact	Without
Contact Type	Socket
Contact Mating Area Plating Material	Unplated
RF Connector Center Contact Plating Material	None
Mating Pin Diameter	.6 mm[.024 in]
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Panel Attachment Style	Rear Mount
Mating Retention	With
Housing Features	
Housing Color	Black
Centerline (Pitch)	12.7 mm[.5 in]
Usage Conditions	
Cable Type	SSQ
Operation/Application	
Shielded	No
Circuit Application	Signal
Industry Standards	
IP Rating	IPX9K
Packaging Features	
Packaging Method	Box & Carton
Other	
Outer Contact Plating Material	None
Dielectric Material	None
Product Compliance	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | HSD







Customers Also Bought





















Documents

Product Drawings

DUAL HSD 12.7MM,SOC HSG,90DEG,COD A

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-2236888-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2236888-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2236888-1_B.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Data Connectivity Housings, Housing for Female Terminals, A, Wire-to-Device, 8 Position, .5 in [12.7 mm] Centerline, Crimp, Cable Type SSQ, HSD

