



Connectors > Automotive Connectors > Automotive Housings



Connector System: **Wire-to-Wire**
Number of Positions: **4**
Connector & Housing Type: **Receptacle**
Centerline (Pitch): **18 mm [.709 in]**
Sealable: **Yes**

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector System	Wire-to-Wire
Connector & Housing Type	Receptacle
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal

Configuration Features

Number of Positions	4
Number of Rows	2

Body Features

Primary Product Color	Black
-----------------------	-------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Centerline (Pitch)	18 mm[.709 in]
--------------------	----------------

Other

Connector Position Assurance Capable	No
--------------------------------------	----



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <div>TE Part # 344074-1 4 WAY TAB HSG.</div>	 <div>TE Part # 347712-1 4 WAY HC PER SEAL SILIC</div>
--	--

Also in the Series | Ultra-Fast 250



Automotive Connector Caps & Covers
(1)



Automotive Housings(5)



Quick Disconnects(49)

Customers Also Bought



TE Part #1-1768045-3
STD12Y-BLANK



TE Part #6-967629-1
TAB HOUSING, 2.8MM, 18POS.



TE Part #DT04-2P-RT06
REC, 2P, GRN, TVS DIODE, NI



TE Part #HD10-9-96PE-B025
RECP ASM



TE Part #281734-2
POSITIVE LOCK 312 HOUSING
RECEPTACLE




TE Part #1-2334423-3
050/110 HYB 36P CAP ASSY GRY



TE Part #1544334-3
PL 2V 8MM NG1 MONT



TE Part #5720254002
FRAG-6/3.5-0-SP



TE Part #2334430-2
050/110 HYB 36P COVER HSG



TE Part #0882513001
ACW0219-6.00-2(BP)

Documents

Product Drawings
RECPT. HSG. ASSY. 4 WAY
English

CAD Files
Customer View Model
ENG_CVM_344080-1_C.3d_igs.zip
English
Customer View Model

344080-1

Receptacle, Wire-to-Wire, 4 Position, .709 in [18 mm] Centerline, Sealable, Black, Wire & Cable, Cable Mount (Free-Hanging), Ultra-Fast 250



[ENG_CVM_344080-1_C.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_344080-1_C.2d_dxf.zip](#)

English

3D PDF

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.