



LCS-03

LCS Series–Level Sensor

Features

- ◆ Rapid Push Fit installation
- ◆ Reed switch reliability

Comments

- ◆ Integral Delphi Packard Connector
- ◆ Horizontal - Side entry
- ◆ Normally open or normally closed by sensor rotation
- ◆ Acetal housing and Polypropylene Float
- ◆ EPDM Sealing Grommet

Applications

- ◆ Water high or low Level
- ◆ Un-pressurized Central Heating Systems
- ◆ Fuel low level
- ◆ Drinking water level
- ◆ Organic Solvents

LCS-03

LCS Series—Level Sensor

Material

Housing/Shuttle Material	Acetal/Polypropylene
Float Material	Foamed Polypropylene
Contact Material	Ruthenium
Float SG	0.8
Operating Temperature °C	-30 to 60
Medium	Water
Housing/Float Color	Black/White

Mechanical Specifications


Shock	50g for 11mS duration
Vibration	35g up to 500Hz
Maximum Pressure	0.34 Bar
IP	IP65

Switching

Switch Action (Reed Switch)	SPST
Max Switching Voltage VDC	48
Max Switching Current Amps	1
Max Switching Load Watt	40
Operate Mode	N/C with float horizontal
Contact Form	A

Technical Drawing

LCS-03



NORTH AMERICA

Measurement Specialties, Inc.,
a TE Connectivity Company
Phone +1-800-522-6752
Email: customercare.hmpt@te.com

EUROPE

MEAS Deutschland GmbH(Europe)
a TE Connectivity Company
Phone: +49-800-440-5100
Email: customercare.ltse@te.com

ASIA

Measurement Specialties (China), Ltd.,
a TE Connectivity Company
Phone: +86-0400-820-6015
Email: customercare.shzn@te.com

TE.com/sensorsolutions

Measurement Specialties, Inc., a TE Connectivity company.

Accustar, American Sensor Technologies, AST, ATEXIS, DEUTSCH, IdentiCal, TruBlue, KPSI, Krystal Bond, Microfused, UltraStable, Measurement Specialties, MEAS, Schaevitz, TE Connectivity, TE, and the TE connectivity (logo) are trademarks of the TE Connectivity Ltd. family of companies. Other logos, product and company names mentioned herein may be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.