


SOLISTRAND TE Internal #: 36419 Rings & Spades, Flag Tongue, 16 – 14AWG Wire Size, 1.04 – 2.62 mm² Wire Size, 2050 – 5180CMA Wire Size, #14, Stud Diameter 6.35 mm [.25 in]

View on TE.com >

Terminals & Splices > Rings & Spades



Terminal & Splice Type: Flag Tongue

Wire Size: 2050 – 5180 CMA

Ring & Spade Stud Size: **#14**

Features

Product Type Features

Shape Description	RING-090
Ring & Spade Stud Size	#14
Ring & Spade Barrel Type	Closed Barrel
Sealable	No
Insulated	No
Ring & Spade Wire/Cable Type	Regular Wire
Support Style	Non - Insulation Support
Configuration Features	
Number of Holes	1
Terminal Angle	Straight
Body Features	
Inspection Slot	No
Weight per Piece	1.294 g
Ring & Spade Plating Material	Copper, Tin
Contact Features	
Terminal & Splice Type	Flag Tongue
Ring & Spade Terminal Orientation	Flag
Mechanical Attachment	
Mire headletion Churchert	Without
Wire Insulation Support	vvitnout



C For support call+1 800 522 6752

36419

Rings & Spades, Flag Tongue, 16 – 14AWG Wire Size, 1.04 – 2.62mm² Wire Size, 2050 – 5180CMA Wire Size, #14, Stud Diameter 6.35 mm [.25 in]



Dimensions

Wire Size	2050 – 5180 CMA
Stud Diameter	6.35 mm[.25 in]
Tongue Thickness	.79 mm[.03 in]
Ring & Spade Overall Length	18.39 mm[.72 in]
Barrel Inside Diameter	2.16 mm[.085 in]
Usage Conditions	
Insulation Requirement	Uninsulated
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Heavy Duty	No
Industry Standards	
Government Qualified	No
Packaging Features	
Packaging Quantity	1
Ring & Spade Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2021 (211) Candidate List Declared Against: JUL 2017 (174) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

Rings & Spades, Flag Tongue, 16 – 14AWG Wire Size, 1.04 – 2.62mm² Wire Size, 2050 – 5180CMA Wire Size, #14, Stud Diameter 6.35 mm [.25 in]





will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought





36419

Rings & Spades, Flag Tongue, 16 – 14AWG Wire Size, 1.04 – 2.62mm² Wire Size, 2050 – 5180CMA Wire Size, #14, Stud Diameter 6.35 mm [.25 in]



Documents

Product Drawings SOLIS FLAG R 16-14 14

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_36419_E.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_36419_E.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_36419_E.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.