


LOC	DIST	REVISIONS						
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
			C2	ECR-17-013967	20SEP2017	N.S	I.Y	
			C3	ECR-20-011405	12AUG2020	J.L	I.Y	
			C4	ECN-21-115526	31AUG2021	J.L	J.Z	
			C5	ECN-22-1178412	10OCT22	W.H	J.Z	




SCALE 1:1



NOTES:

1. LEVER IN PRE-LOCK POSTION
2. CONNECTOR MATING/UNMATING FORCES MAX.75N
3. SEALING FUNCTION REQUIRES ONLY FOLLOWING WIRE SIZE DIAMETERS SEE TABLE
4. PARTS MUST CONFORM TO USCAR 2 REV.4
5. MARKING WITH TYCO ELECTRONICS PN. (OPTIONAL)
6. A THREE DIGIT MARKING ACCORDING TABLE PINOUT CONFIGURATION (OPTIONAL)
7. INTERFACE SPECIFICATION: 114-18762
8. SPECIAL TERMINAL PERFORMANCE SEE RELEVANT SPEC.


APPLICATION TERMINALS 3					
T0.64	1355900	X-968220-X	0.35	Ø1.2 - 1.3	BLIND PLUG 1394871-1
		X-968221-X	0.5 - 0.75	Ø1.4 - 1.9	
	2050986	2050986-3 8	0.5~0.75	Ø1.7 -1.9	
T1.5	638652	638652-2	0.5 - 1.00	Ø1.4 - 2.1	BLIND PLUG 1670108-1
		638652-1	1.0 - 1.5	Ø1.9 - 2.4	
TERMINALS	REFER TO DRAWING	TE PN	WIRE SIZE (mm ²)	WIRE SIZE DIAMETER mm	NOTES





VIEW WITH COVER, LEVER IN END LOCK POSITION. THE COVER IS A SEPARATE SALES PART.





SECTION A-A



PARTS SHOWN AS EXPLODED VIEW
SCALE 1:1



DELIVER POSITION



1		1		1		1		1		1		PA66-GF30	LEVER ON LEFT SIDE	BLACK	6
	1		1		1		1		1		1	PA66-GF30	LEVER ON RIGHT SIDE	BLACK	6
1	1	1	1	1	1	1	1	1	1	1	1	PBT-GF20	RETAINER FOR FAMILY SEAL	BLACK	5
1	1	1	1	1	1	1	1	1	1	1	1	SILICONE RUBBER	FAMILY SEAL	LIGHT BLUE	4
1	1	1	1	1	1	1	1	1	1	1	1	PBT-GF20	HOUSING, UPPER PART	BLACK	3
1	1	1	1	1	1	1	1	1	1	1	1	SILICONE RUBBER	RADIAL SEAL	NATRUAL	2
1	1											PA66-GF35	HOUSING, LOWER PART CODING 6	YELLOW	1
		1	1									PA66-GF35	HOUSING, LOWER PART CODING 5	BLUE	1
				1	1							PA66-GF35	HOUSING, LOWER PART CODING 4	GREEN	1
						1	1					PA66-GF35	HOUSING, LOWER PART CODING 3	BROWN	1
								1	1			PA66-GF35	HOUSING, LOWER PART CODING 2	GREY	1
										1	1	PA66-GF35	HOUSING, LOWER PART CODING 1	BLACK	1
X-2137903-X 5	X-2137902-X 5	X-2137901-X 3	X-2137900-X 5	X-2137899-X 5	X-2137898-X 5	X-2137293-X 5	X-2137292-X 5	X-2137291-X 5	X-2137290-X 5	X-2137289-X 5	X-2050982-X 5	MATERIAL	DESCRIPTION	COLOR	ITEM
CODING 6 LEFT	CODING 6 RIGHT	CODING 5 LEFT	CODING 5 RIGHT	CODING 4 LEFT	CODING 4 RIGHT	CODING 3 LEFT	CODING 3 RIGHT	CODING 2 LEFT	CODING 2 RIGHT	CODING 1 LEFT	CODING 1 RIGHT	CODING LEVER POSITION			
QTY REOD PER ASSY												PART LIST			

2050982 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0-PLC ±0.3
1-PLC ±0.3
2-PLC ±0.3
3-PLC ±0.3
4-PLC ±0.3
ANGLES ±1.5°
FINISH -

MATERIAL SEE TABLE

DWN B.PU 25OCT2010
CHK Y.YANG 02NOV2010
APVD K.QDA 02NOV2010

PRODUCT SPEC
APPLICATION SPEC

SIZE CAGE CODE DRAWING NO
WEIGHT 30.833g

Customer Drawing

TE Connectivity

NAME 48POS. MIXED RECEPTACLE HOUSING 40xMOS AND 8x1.5


SIZE CAGE CODE DRAWING NO
A100779C=2050982

RESTRICTED TO
SCALE 2:1 SHEET 1 OF 7 REV C5

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

CODING 1


			PINOUT CONFIGURATION																																															
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	005	2050982-5	X			X			X			X														X													X			X				X				
-	004	2050982-4	X	X	X	X	X	X	X	X	X	X	X	X	X		X	X	X		X	X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X		X	X	X	X	X	X	X		
-	002	2050982-2			X	X	X		X	X	X	X	X	X	X		X				X	X	X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X		X		X	X	X	X			
-	099	2050982-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT - CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															
																																																		



CODING 1
BLACK
LEVER RIGHT
CABLE EXIT LEFT
PN 2050982

CODING 1

			PINOUT CONFIGURATION																																															
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	003	2137289-3	X			X			X			X														X													X			X			X					
-	002	2137289-2			X	X	X		X	X	X	X	X	X	X		X						X	X	X	X	X	X	X			X	X	X	X	X	X	X	X	X	X	X			X		X	X		
-	099	2137289-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT- CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															




CODING 1
BLACK
LEVER LEFT
CABLE EXIT RIGHT
PN 2137289

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-		SEE SHEET 1	-	-	-

CODING 3


PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137292-I	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
NOTES	MARKING FOR PINOUT CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															



CODING 3
BROWN
LEVER RIGHT
CABLE EXIT LEFT
PN 2137292

CODING 3

PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137293-I	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT- CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															




CODING 3
BROWN
LEVER LEFT
CABLE EXIT RIGHT
PN 2137293

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-		SEE SHEET 1	-	-	-

CODING 4


PINOUT CONFIGURATION																																																			
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
	003	2137898-3	X	X	X		X	X	X	X	X	X				X	X	X		X	X	X	X	X	X			X	X	X			X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X		
	002	2137898-2	X		X	X	X					X		X	X	X		X	X	X	X	X		X	X			X	X	X		X	X		X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	
-	099	2137898-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NOTES	MARKING FOR PINOUT- CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																																
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																																



CODING 4
GREEN
LEVER RIGHT
CABLE EXIT LEFT
PN 2137898

CODING 4

PINOUT CONFIGURATION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	002	2137899-2	X	X	X	X					X	X	X	X	X	X	X	X	X	X	X	X		X	X			X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X




CODING 4
GREEN
LEVER LEFT
CABLE EXIT RIGHT
PN 2137899

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-		SEE SHEET 1	-	-	-

CODING 5


PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137900-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT- CONFIGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															
																																																		



CODING 5
BLUE
LEVER RIGHT
CABLE EXIT LEFT
PN 2137900

CODING 5

PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137901-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT- CONF IGURATION	TE PN	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															



CODING 5
BLUE
LEVER LEFT
CABLE EXIT RIGHT
PN 2137901

NAME

48POS. MIXED RECEPTACLE HOUSING
40xMQS AND 8x1.5

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

C=2050982

-

SCALE

2:1

SHEET

6

OF

7

REV


C5

TE Connectivity

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
ES	00	-		SEE SHEET 1	-	-	-

CODING 6


PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137902-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
NOTES	MARKING FOR PINOUT- CONFIGURATION 	TE PN 	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															



CODING 6
YELLOW
LEVER RIGHT
CABLE EXIT LEFT
PN 2137902

CODING 6

PINOUT CONFIGURATION																																																		
CAVITY NO.			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
-	099	2137903-1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
NOTES	MARKING FOR PINOUT- CONFIGURATION 	TE PN 	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
			BLANKED CAVITIES INDICATE CLOSED LOCATIONS																																															
			WITH "X" MARKED CAVITIES INDICATE OPEN LOCATIONS																																															



CODING 6
YELLOW
LEVER LEFT
CABLE EXIT RIGHT
PN 2137903

NAME

48POS. MIXED RECEPTACLE HOUSING
40xMQS AND 8x1.5

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A1

00779

C=2050982

-

SCALE

2:1

SHEET

7

OF

7

REV

C5

TE Connectivity